This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.







INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: G06F 15/20, 15/22, 7/00, 17/60, 19/00, 17/30

(11) International Publication Number:

WO 00/02137

(43) International Publication Date:

13 January 2000 (13.01.00)

(21) International Application Number:

PCT/US99/15049

A1

(22) International Filing Date:

2 July 1999 (02.07.99)

(30) Priority Data:

60/091,476 60/133,746 2 July 1998 (02.07.98)

US 12 May 1999 (12.05.99) US

(71) Applicant: KEPNER-TREGOE, INC. [US/US]; 17 Research Road, Princeton, NJ 08542 (US).

(72) Inventors: SCHLICK, James, D.; 561 Heatons Mill Drive, Langhorne, PA 19047 (US). LONGMAN, Andrew, D.; 11 Fifth Street, Frenchtown, NJ 08825 (US). ALVAREZ, Betsy, L.; 12 Lakeside Road, Somerset, NJ 08873 (US). HUMMEL, Matt; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). LEE, Sandra; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). SAN-TOS, Jad; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). SERRANO, Chris; Suite A. 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). DINH, Phong; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). CLINE, Rachel; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). BERNER, Rich; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). MCLANE, Jennifer, Suite A, 12910 Cul-


ver Boulevard, Marina del Rey, CA 90066 (US). RONO. Ramon; Suite A, 12910 Culver Boulevard, Marina del Rey. CA 90066 (US). MENTZ, Lisa; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). GELLER, Josh; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). GERY, Gloria; 108 South Trail, Tolland, MA 01034-9403 (US). YARDUMIAN, Robert; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). SCHAPIRO, David; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). BUSSARD, Katherine, Nicole; Suite A. 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). LAU, Catherine; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). OSBORNE, Kevin; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). CONNELLY, Sean; Suite A, 12910 Culver Boulevard, Marina del Rey, CA 90066 (US). NGUYEN, Kevin; 10317 Orr and Day Road, Santa Fe Springs, CA 90670 (US). WILMSMEYER, Justin; 8957 Gibson Street, Los Angeles, CA 90034 (US). VERNON, Martin; 3701 Overland Avenue #B223, Los Angeles, CA 90034 (US). HOGQUIST, Karl; 849 E. Victoria Street #612, Carson, CA 90746 (US). SCHWARZBART, Joel; Romac International, 15260 Ventura Boulevard #380, Sherman Oaks, CA 91403 (US).

- (74) Agents: MORIARTY, Gordon, R. et al.; Weingarten, Schurgin, Gagnebin & Hayes LLP, Ten Post Office Square, Boston, MA 02109 (US).
- (81) Designated States: AU, CA, JP, SG, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

Published

With international search report.

(54) Title: METHOD AND APPARATUS FOR PROBLEM SOLVING, DECISION MAKING, STORING, ANALYZING, RETRIEVING ENTERPRISEWIDE KNOWLEDGE AND CONCLUSIVE DATA



(57) Abstract

A computer software application, graphical user interface, and method for entering information concerning a complex business situation (16), refining such information in a stepwise manner through the interface, generating a list of effective actions for addressing such a business situation, and storing such information in a knowledge base adapted for future query and reporting use of such a complex business situations (16), is provided. A set of screen sequences (14, 16, 18) allows entry of specific aspects of such a situation to generate an action list. A situation appraisal sequence allows entry of concerns stemming from the situation to prioritize such concerns. A problem analysis sequence (14) allows entry of causes of a problem, and refining the causes to determine a true cause. A decision analysis sequence (14) allows entry of alternatives concerning a decision, and refines such alternatives to determine one which suits the objective.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑŬ	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Paso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MIN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of Americ
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Locia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
ER	Estonia	LR	Liberia	SG	Singapore		

METHOD AND APPARATUS FOR PROBLEM SOLVING, DECISION MAKING, STORING, ANALYSING, RETRIEVING ENTERPRISEWIDE KNOWLEDGE AND CONCLUSIVE DATA

5

CROSS REFERENCE TO RELATED APPLICATIONS

This application claims priority under 35 U.S.C. §119(e) to U.S. Provisional Patent 10 Application 60/091,476, filed July 2, 1998, entitled ELECTRONIC TOOL, and U.S. Provisional Patent Application No. 60/133,746, 1999, entitled ELECTRONIC filed Mav 12. TOOL. incorporated herein by reference.

15

25

STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT

Not Applicable

20 NOTICE REGARDING COPYRIGHTED MATERIAL PURSUANT TO 37 CFR § 1.71

A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office file or records, but otherwise reserves all copyright rights.

BACKGROUND OF THE INVENTION

enterprises 30 business must address surrounding the business in a systematic, often time-Such business enterprises typically have driven, manner. an organizational structure, often of a hierarchical or matrix form, to define the various groups of individuals responsible for a particular area of the business. 35 particular issue evokes different concerns from different groups, resulting in differing definitions of a problem to Further, individuals within the groups may be addressed. not have the knowledge, or expertise, to effectively

address a particular problem or decision, due to factors such as inexperience or lack of longevity in a particular role.

5

10

15

20

25

30

35

communication can become blurred individuals assume they share a common understanding of a The notion of a problem surrounding a complex situation can have different meanings to different groups or individuals within the business enterprise. The term "problem" is often used indiscriminately to define factors such as a complex situation requiring action, a malfunction or error, the cause of a malfunction or error, a difficult choice, or future trouble. Each of these concerns requires different action, yet all elements may be common to a particular situation. Prior to implementing action, such a situation must be broken down into a manageable set of issues which require action, and which can be verified as the correct set of issues which will resolve the situation.

Effectively addressing the issues presented by such a complex situation, therefore, requires clarification of the exact issues to be acted upon. However, as indicated above, different groups and/or individuals have different needs, and each may have a different definition of the problem, depending on how the complex situation affects the responsibilities of that group and/or individual. employment terminations, transfers, and organizational changes can result in a lack of individuals with expertise and experience concerning such a complex situation. factors can cause a business enterprise to implement ineffective actions, perform duplicative acts, or even to implement actions which exacerbate the situation.

It would be beneficial to provide a computer software program adapted to provide an interactive interface to receive information surrounding such a complex situation, display such information in a format which allows the user to refine issues in a stepwise manner, and store such information, including both the solution or resolution and

the thought processes that created them, for subsequent query and retrieval by multiple users for addressing future such complex situations.

BRIEF SUMMARY OF THE INVENTION

5

10

15

20

25

30

35

computer software application, graphical interface (GUI), and method for entering information concerning a complex business situation, refining such information in a stepwise manner through such an interface, generating a list of effective actions for addressing such a business situation, and storing such information in a knowledge base adapted for future query and reporting use for such complex business situations, is provided. or sequence of process screen structures allows entry of specific aspects of such a situation to generate such an action list. Such process screen sequences provide a systematic method to gather and organize information effectively in order to resolve a complex situation, and to store such information in a knowledge base for later query and retrieval for the same or similar situations, thereby preserving enterprisewide knowledge and expertise. action tracker interface is also provided which provides task management and monitoring of the various actions determined by the process screen sequences. The user has the ability to access the process screens in a non-linear mode and can toggle between interview and worksheet modes described further below.

A situation appraisal process screen sequence provides a starting point in assessing a complex or ill-defined business situation. An interface for entering concerns presented by such a situation is presented to a user, and allows prioritization and categorization of such concerns. In this manner a user determines which concerns should be addressed first, and whether these concerns present a problem to be resolved, a decision to be made, or a potential problem which could result from a present plan or

decision. A list of actions to be undertaken by groups or individuals is defined through the action tracker interface to address the prioritized concerns, and includes an indication of which of the other process screen sequences should be undertaken: problem analysis, decision analysis, and/or potential problem/opportunity analysis.

5

10

15

20

25

30

35

A problem analysis process screen sequence provides an interface for entering information surrounding the problem selectively sequential, orderly manner, and for entering possible causes for the problem by drawing on the experience of the user and the knowledge base of past situations. Possible causes are then evaluated eliminated in a prioritized manner to determine which possible cause explains the facts presented by the problem, and confirmed to be the true cause by verifying any questionable information pointing to the most probable Actions and tasks needed to be undertaken to verify the most probable cause are assigned and monitored through the action tracker interface.

A decision analysis process screen sequence provides an interface to allow entry of a PURPOSE OF A DECISION based on specific lists of results sought, and entering alternatives which might satisfy each result. Alternatives are then considered with respect to each result. risks associated with each alternative are entered, and are ranked based on magnitude and probability. A decision then determined by scrolling is through balancing the alternatives and risks. A decision analysis may be undertaken based on a situation appraisal, may be used to assess several possible causes resulting from a problem analysis, or may be undertaken independently. Actions needed to implement the decision are then entered and tracked using the action tracker interface.

A potential problem/opportunity analysis process screen sequence provides an interface to assess and determine actions to mitigate or eliminate future possible

5

10

15

problems and capitalize on opportunities which may arise during implementation of decisions and plans. This process screen sequence may be undertaken as indicated by a situation appraisal, may be used to evaluate a decision indicated by a decision analysis, or may be undertaken independently. Possible future problems or opportunities are identified and entered, and likely causes of each future problem are identified. Preventative actions which serve to reduce the likelihood of occurrence of each of the future problems are developed by scrolling through the likely causes, and contingent actions which may mitigate result should the future problem occur despite the preventative action are also entered. Tasks required to implement the preventative actions and contingent actions are then entered and tracked using the action tracker interface.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING

The invention as defined herein will be more fully understood by reference to the following drawings and detailed description of the drawings, of which:

- Fig. 1 shows a top level functional block diagram;
- Fig. 2 shows a system architecture block diagram;
- Fig. 3 shows a flowchart of the situation appraisal process screen sequence;
 - Fig. 4 shows a flowchart of the problem analysis process screen sequence;
 - Fig. 5 shows a flowchart of the decision analysis process screen sequence;
- Fig. 6 shows a flowchart of the potential problem analysis process screen sequence;
 - Fig. 7 shows the LIST THREATS AND OPPORTUNITIES screen of the Situation Appraisal screen sequence;
- Fig. 8 shows the SEPARATE AND CLARIFY CONCERNS screen of the Situation Appraisal screen sequence;

- Fig. 9 shows the CONSIDER SERIOUSNESS, URGENCY AND GROWTH screen of the Situation Appraisal screen sequence;
- Fig. 10 shows the DETERMINE ANALYSIS NEEDED screen of the Situation Appraisal screen sequence;
- Fig. 11 shows the DETERMINE HELP NEEDED screen of the Situation Appraisal screen sequence;
 - Fig. 12 shows the STATE THE PROBLEM screen of the Problem Analysis screen sequence;
- Fig. 13 shows the SPECIFY THE PROBLEM screen of the 10 Problem Analysis screen sequence;
 - Fig. 14 shows the USE DISTINCTIONS AND CHANGES screen of the Problem Analysis screen sequence;
 - Fig. 15 shows the STATE POSSIBLE CAUSES screen of the Problem Analysis screen sequence;
- Fig. 16 shows the TEST POSSIBLE CAUSES AGAINST SPECIFICATION screen of the Problem Analysis screen sequence;
 - Fig. 17 shows the DETERMINE THE MOST PROBABLE CAUSE screen of the Problem Analysis screen sequence;
- 20 Fig. 18 shows the GATHER FACTS TO VERIFY THE TRUE CAUSE screen of the Problem Analysis screen sequence;
 - Fig. 19 shows the THINK BEYOND THE FIX screen of the Problem Analysis screen sequence;
- Fig. 20 shows the STATE THE DECISION screen of the Decision Analysis screen sequence;
 - Fig. 21 shows the DEVELOP OBJECTIVES screen of the Decision Analysis screen sequence;
 - Fig. 22 shows the CLASSIFY OBJECTIVES INTO MUSTS AND WANTS screen of the Decision Analysis screen sequence;
- Fig. 23 shows the WEIGHT THE WANTS screen of the Decision Analysis screen sequence;
 - Fig. 24 shows the GERNERATE ALTNERATIVES screen of the Decision Analysis screen sequence;
- Fig. 25 shows the SCREEN ALTERNATIVES THROUGH THE 35 MUSTS screen of the Decision Analysis screen sequence;

- Fig. 26 shows the COMPARE ALTERNATIVES AGAINST THE WANTS screen of the Decision Analysis screen sequence;
- Fig. 27 shows the IDENTIFY ADVERSE CONSEQUENCES screen of the Decision Analysis screen sequence;
- Fig. 28 shows the MAKE THE BEST BALANCED CHOICE screen of the Decision Analysis screen sequence;
 - Fig. 29 shows the IMPLEMENT DECISION screen of the Decision Analysis screen sequence;
- Fig. 30 shows the DEVELOP A PLAN screen of the 10 Potential Problem Analysis screen sequence;
 - Fig. 31 shows the LIST POTENTIAL PROBLEMS screen of the Potential Problem Analysis screen sequence;
 - Fig. 32 shows the ASSESS THREATS screen of the Potential Problem Analysis screen sequence;
- Fig. 33 shows the CONSIDER LIKELY CAUSES screen of the Potential Problem Analysis screen sequence;
 - Fig. 34 shows the TAKING PREVENTATIVE ACTION screen of the Potential Problem Analysis screen sequence;
- Fig. 35 shows the TAKING CONTINGENT ACTION screen of the Potential Problem Analysis screen sequence;
 - Fig. 36 shows the MODIFY PLAN screen of the Potential Problem Analysis screen sequence;
 - Fig. 37 shows the ACTION TRACKER screen;
- Fig. 38 shows the situation appraisal knowledge base 25 ER diagram;
 - Fig. 39 shows the problem analysis knowledge base ER diagram;
 - Fig. 40 shows the decision analysis knowledge base ER diagram;
- Fig. 41 shows the potential problem analysis knowledge base ER diagram;
 - Fig. 41a shows the potential opportunity analysis base ER diagram;
- Fig. 42 shows the action tracker knowledge base ER 35 diagram;

Fig. 43 shows the general process screen sequence class inheritance graph;

Figs. 44a-44c show the situation appraisal class inheritance graph;

Figs. 45a-45d show the problem analysis class inheritance graph;

Fig. 46 shows the decision analysis class inheritance graph;

Fig. 47 shows the potential problem analysis class 10 inheritance graph;

Fig. 47a shows the potential opportunity analysis class inheritance graph;

Fig. 48 shows the action tracker class inheritance graph;

Fig. 49 shows the DEVELOP A PLAN screen of the Potential Opportunity Analysis screen sequence;

Fig. 50 shows the LIST POTENTIAL OPPORTUNITIES screen of the Potential Opportunity Analysis screen sequence;

Fig. 51 shows the ASSESS BENEFITS screen of the 20 Potential Opportunity Analysis screen sequence;

Fig. 52 shows the CONSIDER LIKELY CAUSES screen of the Potential Opportunity Analysis screen sequence;

Fig. 53 shows the TAKING PROMOTING ACTION screen of the Potential Opportunity Analysis screen sequence;

Fig. 54 shows the TAKING CAPITALIZING ACTION screen of the Potential Opportunity Analysis screen sequence;

Fig. 55 shows the MODIFY PLAN screen of the Potential Opportunity Analysis screen sequence;

Fig. 56 shows a GUI screen indicative of the top-level menu as illustrated in Fig. 1;

30

35

Figs. 57-73 show an alternative embodiment of the GUI screens of the situation appraisal process screen sequence;

Figs. 74-84 show a first alternative embodiment of the GUI screens of the problem analysis process screen sequence; and

Figs. 85-137 show a second alternative embodiment of the GUI screens of the problem analysis process screen sequence.

DETAILED DESCRIPTION OF THE INVENTION

5

10

15

20

25

30

The top level functional block diagram of the complex situation assessment process screen sequences 10 as defined herein is shown in Fig. 1. Situation appraisal 12 is typically most applicable to an initial assessment and enumeration of concerns surrounding a situation. appraisal results in an indication of which of the process screen sequences, problem analysis 14, decision analysis 16, or potential problem/opportunity analysis 18, is most applicable to a particular concern. Each of the three analysis process screen sequences 14, 16, 18 may also be invoked independently irrespective of a corresponding situation analysis. Action tracker interface available from all process screen sequences, and may also be invoked independently.

Fig. 2 shows an architectural block diagram of the system in which the situation assessment process screen sequences are invoked. Software architecture 23 included, for example, in workstation 22 includes the process components 24 which comprise the situation appraisal, problem analysis, decision analysis, potential problem/opportunity analysis software which drive the process screen sequences. Action tracker component 26 comprises software driving the action tracker, accessible from any of the process screen sequences. Knowledge base retrieval access and of prior situation assessment activities are performed by report writer component 28, for broad queries and retrieval of large quantities of data, and keyword query or other searching component 30, pinpointing specific entities and situations. Other 35 support and administrative functions are provided by

licensing management component 32, system support component 34, and administrative component 36.

Workstation 22 is networked to remote users 38, for enterprisewide access at remote locations, and local network server 40, for accessing the knowledge base 42 to store and retrieve prior situation assessment data. Archive database 44 and client database 46 are for backup functions and enterprise specific information, respectively.

5

10

15

20

25

30

35

The software as described above is executed on a device such as workstation 22. In this embodiment, workstation 22 is a 32 bit microprocessor-based system such as a PENTIUM® PC and executes on a WINDOWS® (94, 98, or NT) platform or other operating system as compiled. 16 bit users may utilize commercially available extensions for use on older PCs. 32M main memory is recommended, however execution may be possible with less memory with lower performance.

The process screen sequences defined further below are point and click WINDOWS®-type graphical user interfaces common to many computer applications. Screens are scrolled through using common scroll arrow buttons, and pull-down menus may be used to jump between various screens in a particular screen sequence. A user may begin with any process screen sequence, also through a pull-down menu, although it is expected that a situation appraisal will precede one or more of the other process screen sequences. Each process screen sequence is identified by a unique process identifier or file name for later retrieval and knowledge base entry. Entry cells are either for free form entry of descriptive text, or pull-down menus to populate the field from among a list of finite choices. A user may elect either a worksheet mode or interview mode Worksheet mode is for the experienced user, and operation. allows unprompted entry of data into the relevant fields to expedite the assessment. Interview mode is

structured environment which prompts the user with specific questions to elicit the proper type of data from the user. While slightly more time consuming, this mode allows a novice to produce an accurate assessment until the user is 5 comfortable with worksheet mode. Modes may be toggled at Information input by the user during interview any time. mode is incorporated into the corresponding worksheet and vice-versa. Each of the process screen sequences outlined above are organized into deliverables called Application Kits (PAKs), which can be 10 independently Further, each PAK can be customized to suit a provided. particular business focus or group of users through the COM object architecture (per MICROSOFT® Component Object Additional PAKs can be developed to access the 15 knowledge base accumulated with the process sequences, for example to generate project specific reports or to generate periodic reports about critical Throughout the process screen sequences, process checkers running in the background screen and filter data 20 which is input by the user, thereby ensuring that complete and correct data is provided by the user throughout each screen sequence. These process checkers analyze the user input at various input points, and detect items which are likely to require refinement or correction. Constructively phrased messages are provided to the user 25 to assist in proper correction of data entry, or to confirm that the input data is correct, along with corresponding prompts for response. In one embodiment, three process checkers are implemented, however additional 30 checkers could be implemented to suit particular types of errors as the user base requires. Further,

errors as the user base requires. Further, process checker messages may be toggled off by experienced users who do not require such assistance. An INFORMATION MISSTATED process checker employs rule-based analysis of input to detect skipped steps, unsound data, or incomplete analysis. Such messages are typically displayed as the

advance to a user attempts to next screen, completing entry on the current screen, however could also be provided upon entry of a particularly suspect cell. PITFALLS process checker COMMON flags areas imprecise data will result in later difficulty, as with Such messages are displayed prior to critical data items. user input as a reminder, and do not analyze data after A SHARPENER process checker assists in entry of fields where further critical prompting assists in refining the response. A series of questions is presented to the user to assist in editing the response entered in This process checker, therefore, guides the the cell. user through a series of successively narrower questions in order to pinpoint accurately the desired item of information. All process checkers may be overridden by the user once confirming that the response entered is in fact correct.

5

10

15

20

25

30

35

Cells as presented by the process screen sequences defined herein may be populated via direct text entry from the keyboard, or may be populated and/or supplemented by attaching an external file. These files are stored in the knowledge base and remain associated with the particular Such files may be MICROSOFT® cell or record. Documents, POWER POINT® files, jpegs, bitmaps, **AUTOCAD®** other external file files, or appropriate to the particular cell.

Flowcharts for exemplary situation appraisal, problem analysis, decision analysis, and potential problem analysis process screen sequences are shown in Figs. 3-6. Each of the steps in the flowcharts corresponds to a specific screen in the sequences described in further detail below. Specifically, Fig. 3 shows a situation appraisal flowchart 50; Fig. 4 shows a problem analysis flowchart 52; Fig. 5 shows a decision analysis flowchart 54, and Fig. 6 shows a potential problem analysis flowchart 56.

Software architecture is based upon various thirdparty toolkits and development platforms consistent with industry development standards to facilitate modifications and extensions. Unified Modeling Language is employed to standardize the object-oriented architecture. COM objects are provided where appropriate, to facilitate integration and modification. Rational Rose Modeler for software design, ERWin® for database modeling, and Delphi Client/Server are used to facilitate future enhancements.

SITUATION APPRAISAL

5

10

15

20

25

30

35

The situation appraisal screen sequence 50 provides a user interface which allows a situation to be subdivided into a set of specific concerns so that a user may graphically organize and clarify issues to be resolved. Each situation is stored in an individual situation file for later retrieval and database indexing. A situation background and theme are also provided to set the general business context and to be used as a reference or refresher for later querying and retrieval.

Once the situation file is created, the threats and opportunities screen, shown in Fig. 7, is then used to enter broad issues relating to general concerns of the Users enter descriptive text for each broad situation. issue in concern cells 100, which scroll downward to accommodate all the broad issues entered. Once complete, the ADVANCE SEQUENCE arrow button 102 is used to progress to the separate and clarify concerns screen shown in Fig. Users then consider the broad issues entered in the previous screen, and clarify and refine them into distinct concerns in refined concern cells 104, removing redundant items and consolidating overlapping issues. modified list describes distinct refined concerns, rather than broad issues, ADVANCE SEQUENCE arrow 102 is used to progress to the concern consideration screen.

The concern consideration screen shown in Fig. allows a user to enter specific information for each of the stored refined concerns 104 stemming from a particular situation, as listed on the separate and clarify concerns This provides an interface to populate various cells addressing the seriousness 106, urgency 108, and defined growth 110, further below, of a particular situation, thereby allowing computation of a priority 112 The CONCERN CONSIDERATION screen is used for that concern. to refine details of each concern. Some of these cells are further subdivided into a specification, for descriptive text, and a relativity field, for ranking relative to other concerns.

5

10

15

20

25

30

35

The priority cell 112 is computed based on the relativity fields for seriousness, urgency, and growth, described further below, to provide an overall ranking of concerns. Alternatively, this cell may be overridden by the user through priority pull-down 112.

The SERIOUSNESS cell 106 is further divided into a specification cell 126 and a relativity cell 116. enter descriptive text in the specification cell 126 to describe the impact the concern in question will have with to human resources, safety, cost, customers, productivity, reputation, and other factor which affect the The seriousness relativity cell 116 is for enterprise. entering a discrete ranking of magnitude relative to the seriousness of other concerns. A ranking hierarchy such as high (H), medium (M), low (L), and need more data (NMD) can be entered here through a pull-down menu similar to the priority cell, and will be displayed as well as used in calculating priority.

The URGENCY cell 108 also has two components, a specification cell 128 and a relativity cell 118. The urgency specification cell 128 is for descriptive text directed to determining when resolution of this concern would become difficult, expensive, or impossible. The

urgency relativity cell 118 is for entering a discrete ranking of magnitude relative to the urgency of other concerns, similar to the priority cell pull-down.

5

10

The GROWTH cell also has specification and relativity components. Specification cell 130 is for descriptive text directed to determining the evidence that the seriousness of the concern will grow. The growth relativity cell 120 is for entering a discrete ranking relative to growth potential of other concerns, similar to the priority cell pull-down. High (H) indicates that the growth potential is increasing, medium (M) indicates that the growth potential is stable, and low (L) indicates that growth is decreasing. Need more data (NMD) may also be entered.

Once all concerns 104 relevant to the situation are 15 entered, screen sequence button 102 is used to advance to the determine analysis needed screen in Fig. 10. For each entered, five clarifying cells are provided: PRIORITY, SERIOUSNESS, URGENCY, GROWTH, and PROCESS. concern cell entered on the previous screen is displayed, along with a PROCESS cell 140 for each concern. 20 cell also has specification 144 and a relativity components Process relativity cell 142 is for entering the specific process sequences, described further below, that should be used to address each concern, and is selected by 25 pull-down menu 146. A problem analysis sequence should be undertaken if the concern is directed to the cause of why a particular event or occurrence happened. analysis sequence should be undertaken if the concern is directed to determining the course of action that should be 30 pursued to address the concern. A potential problem analysis should be undertaken if the concern is directed to predicting future occurrences or events and possible remedial action to be taken. A further situation appraisal should be undertaken if the concern is too broad to be 35 adequately addressed by the problem, decision, or potential problem analysis sequences.

After an analysis is selected for each concern, the DETERMINE HELP NEEDED screen (Fig. 11) is used to identify specific individuals or groups to execute the analysis determined in the previous screen and to identify the specific objective of the analysis. The DETERMINE HELP NEEDED screen has a PROCESS section 150, which echoes information from the DETERMINE ANALYSIS screen, ASSIGNMENT section 152, for specifying involvement of other The ASSIGNMENT section 152 is integrated with the action tracker, described further below, which provides scheduling for all screen sequences. ACTION cell 154 is used to enter descriptive text for the task and objective. This task is generally an "analysis" from the determine analysis screen, or other task for addressing a particular WHO cell 156 is a pull-down menu of names for assignment to the analysis, and also allows for entry of WHEN cell 158 indicates the completion date of new names. the analysis. NOTES cell 160 is a descriptive text cell which can contain clarifying or specification information of the analysis, such as product, assembly line, or plant location. STATUS cell 162 is used to describe the current state of the task, and is a pull-down with the options not started, action assigned, cancelled, on hold, confirmed. Other status cell values may be entered. Sort pull-down 164 allows sorting by any of the ASSIGNMENT section cells. The result of this process screen sequence is that the user is provided with an indication of which of the analysis process screen sequences, problem, decision, or potential problem, are most applicable to the concern in question, as described further below.

PROBLEM ANALYSIS

5

10

15

20

25

30

35

The problem analysis screen sequence provides a user interface which allows a problem to be subdivided into a set of statements which describe various aspects of the problem and what they are and are not, creating a concise,

accurate problem specification. These statements are then assigned possible causes. The possible causes are then evaluated to determine the most probable cause and verify the most probable cause to determine of it is the true cause.

5

10

15

20

25

30

35

A problem background statement concerning the context is read from the situation appraisal file to which this problem analysis corresponds. This statement may be edited by the user or alternately, entered entirely by the user. This problem background statement is then stored in an individual problem analysis file for later retrieval and database indexing.

Referring to Fig. 12, the STATE THE PROBLEM screen is used to enter a statement of normal operation in the SHOULD BE HAPPENING cell 200 to describe what the object of the problem should be doing when performing properly. HAPPENING cell 202 is then used to enter a perceived problem, which is the current condition of the object that is believed to be, or have, the problem. User then selects the applicable cause known/unknown button. If the cause is known, button 211 is selected, and the user is prompted that a problem analysis is not appropriate and an alternate screen sequence, such as decision analysis, may be applied. If the cause is not known, button 210 is selected, and the object of the problem is then entered in OBJECT cell 206, such as "motor", "assembly line five", or "Boston office". The DEVIATION cell 208 is used to enter the deviation from normal operation, such as "cracked housing" or "sales down ten percent".

The user then advances to the SPECIFY THE PROBLEM screen, for example as shown in Fig. 13, to enter specific statements of fact concerning the problem. A concise problem statement 212 from the object 206 and deviation 208 cells is carried over from the previous screen, and is the concatenation of the object and deviation cells to form a statement such as "Boston office sales down ten percent."

Eleven descriptor question cells 214 are provided (not all shown due to scroll down display), however fewer or additional statement cells could also be used. Collectively, these descriptor question cells are for describing the problem in terms of four domains: what, 5 where, when, and extent. The eleven descriptor question cells 214 are for entering information to address following: problem object, problem deviation, geographical variance or location, location of the deviation on the problem object, first problem (deviation) occurrence, most 10 or subsequent problem (deviation) occurrence. problem cycle (during lifecycle history of object), number of problem objects (how many objects have/do not have the size of problem (magnitude of deviation), a single 15 deviation), number of problem deviations (how deviations on each object), and problem trend (how it is/is For each descriptor cell, two subfields not progressing). are provided. In each subfield, for each of the eleven descriptors, the user enters descriptive text directed to 20 what the problem is 216 and is not 218. The IS descriptor for accurately refining and narrowing the subfield is object that has the deviation. The IS NOT descriptor subfield is for indicating which other closely related entities could have the deviation, but do not. By defining both the IS and IS NOT subfields, the responses in these 25 cells serve to establish clear boundaries around problem. Additional descriptor question cells for a particular descriptor question may be added by clicking on insert button 220 if needed to accurately refine the 30 problem. For example, WHAT OBJECT descriptor 222 might further clarify specific product packaging that is and is not experiencing the deviation, and also might indicate assembly lines are affected. Other comparative designators may be used in place of "is" and "is not".

Following entry of the IS/IS NOT descriptor cells, the user advances to one of two screens. The user may advance

35

to the USE DISTINCTIONS AND CHANGES screen shown in Fig. 14, which provides cells for entering distinctions between each of the IS/IS not descriptors entered previously. These distinction fields assist in entering possible causes (Fig. 15). Alternatively, if the user prefers using their own knowledge and experience, they may advance directly to the STATE POSSIBLE CAUSES screen.

5

30

35

The USE DISTINCTION AND CHANGES screen (Fig. presents the user with the previously entered problem 10 statement 212 and descriptor question cells provides, for each descriptor question, DISTINCTION 224 and CHANGE 226 cells. These DISTINCTION and CHANGE cells are for entering descriptive text to identify the distinctive features concerning the "IS" data 216 relative to the "IS 15 NOT" data 218, for each of the descriptor questions 214. information in these cells assists in identifying possible causes in the subsequent state possible causes screen (Fig. 15). Users enter distinctive features for each is/is not pair in DISTINCTION cells 224. Multiple 20 distinctive features may be entered by clicking insert 228 to insert a DISTINCTION cell. Not descriptor IS/IS NOT cells need be populated, however a distinction may not be entered unless the corresponding descriptor question cells are populated. Descriptor IS/IS 25 NOT cells may be entered here as well.

For each DISTINCTION cell 224, descriptive text concerning changes are entered in CHANGE cells 226. Such changes may be those that have occurred in, on, around, or about each distinction, in order to identify possible causes. Other changes may also be used. As with DISTINCTIONS 224, multiple change cells may be entered for each distinction by clicking the INSERT CHANGE button 230.

The user next advances to the STATE POSSIBLE CAUSES screen shown in Fig. 15. This screen has two formats depending on whether the user has elected to enter distinctions and changes. Fig. 15 shows the STATE POSSIBLE

CAUSES screen with the DISTINCTION and CHANGE cells 224, 226 echoed. If the user has not entered distinctions and changes, the descriptor question cells 214 and IS/IS NOT responses 216, 218 are displayed. For either screen descriptive text is entered in possible CAUSE cells based upon the information in the DISTINCTION/CHANGE cells 224, 226 or is/is not responses 216, 218, as applicable. The most effective possible causes tend to be provided by cross-correlating the eleven different descriptor questions to find common denominators and items which are mutually

Additional possible cause cells may be added

5

10

exclusive.

Upon entry of POSSIBLE CAUSE cells 232, advances to the test possible causes against specification 15 screen shown in Fig. 16. This screen presents possible causes one at a time in POSSIBLE CAUSE cell 236. possible cause selection buttons 238 are used to scroll through the list of previously entered possible causes. The problem statement 212 is echoed here, as well as the 20 descriptor questions 214 and responses 216, 218. CONDITIONS 240 cell and an ASSUMPTIONS cell 242 provided for user input. For each possible cause 236, users scan the list of descriptor questions 214. descriptor question, conditions 240 under which possible cause would prove or disprove the descriptor 25 question are entered. Conditions are entered under prefixes such as "ONLY IF", "YES BECAUSE", and "NO BECAUSE" via condition pull-down 244. Assumptions pertinent to the basic condition are then entered in ASSUMPTIONS/NOTES cell 30 242. An "ONLY IF" assumption specifies the specific circumstances under which the possible cause would explain the particular descriptor question 214. A "YES BECAUSE" assumption explains why the possible cause would explain particular descriptor question. Α "NO BECAUSE" 35 assumption explains why the possible cause could explain the particular descriptor question 214, and

through INSERT POSSIBLE CAUSE button 234.

WO 00/02137 PCT/US99/15049 -21-

eliminates the possible cause 236 from the list. Conditions may be limited to three options to facilitate later sorting and processing of the possible causes to determine the true cause or causes, described below. an eliminated possible cause, however, and the associated assumption, is nonetheless retained in the knowledge base subsequent queries, described further below respect to the knowledge base query engine. ASSUMPTIONS/NOTES cells 242 needed to explain a particular question may descriptor be entered through INSERT ASSUMPTION button 246.

5

10

30

35

Following the entry of conditional assumptions, positive cause notes, and elimination of a subset of the causes, the DETERMINE MOST PROBABLE cause screen is called (Fig. 17). At this point the list of possible causes has 15 been narrowed due to elimination of the possible causes resulting in a "NO BECAUSE" condition test, above. screen presents remaining assumptions entered on the TEST POSSIBLE CAUSES screen (Fig. 16) in an ASSUMPTION cell 242, 20 alongside the corresponding POSSIBLE CAUSE cell 236. listed possible cause, probability pull-down 247 may be used to assign a probability cell 248 from among: MPC (most probable cause, high (consider next), medium (also verify) and low (consider later). The ASSUMPTION cells 242 and POSSIBLE CAUSE cells 236 are sorted according to the 25 probability 248 and the condition (244, Fig. 16) for use in the next screen.

The GATHER FACTS TO VERIFY THE TRUE CAUSE screen (Fig. 18) is then presented. Low probability possible causes are not carried over onto this screen, however such causes and assumptions are nonetheless stored in the knowledge base for later query use. The remaining possible causes and their respective assumptions are displayed in their respective cells 236, 246. Individual possible causes are considered by the user in a scrolling format which allows the user to advance through scroll buttons 248 from most

probable to the "ALSO VERIFY" possible causes. For each possible cause 236 presented, ACTION TRACKER cells 250 are used to enter actions needed to resolve the possible cause 236 and the accompanying assumptions 246. ACTION cell 252 is for descriptive text indicative of the specific test, activity, or question to be undertaken in order to confirm or deny a particular possible cause and the assumptions associated therewith. WHO cell 254 is for indicating the person or group responsible for the action, and WHEN cell 256 is for a completion date. NOTES cell 258 allows entry of descriptive text concerning other aspects of the action.

ACTION TRACKER cells 250 are integrated with the action tracker, described further below, which is integrated with the other process screen sequences as defined herein. In this manner, a concise itemization of the actions required to address a particular possible cause can be entered, stored in the knowledge base, and later searched and retrieved through the query engine, addition to being codified for tracking the present The query engine, described further below, may problem. also be invoked to search for similar possible causes in the knowledge base. Resolution of the action items should then focus and refine the remaining possible causes to determine the true cause.

Fig. 19 shows the THINK BEYOND THE FIX SCREEN for entering data to enumerate ramifications of the actions just entered. This information may be useful in the potential problem analysis process screen sequence, described further below.

30

35

5

10

15

20

25

DECISION ANALYSIS

A situation appraisal, as described above, may also indicate that a decision analysis is warranted. A decision analysis, as described further below, allows a user to populate cells specifying objective aspects of the decision, and use these cells for reporting and querying of

the knowledge base to provide a graphical verification and record that all aspects concerning a particular decision were considered. The screens presented in the decision analysis screen sequence allow a user to populate cells focused on the objective of the decision, the alternatives which strive towards achieving that objective, risks associated with each alternative, and on selecting the final decision from among the alternatives.

5

10

Each decision analysis screen sequence is stored in a unique file to facilitate later indexing, searching and retrieval from the knowledge base. A previous or in process decision analysis can be selected for modification by the user, or a new decision analysis screen sequence may be entered.

Referring to Fig. 20, the STATE THE DECISION screen is 15 The DECISION BACKGROUND cell 300 is for descriptive text concerning the context and other data about the situation. Alternatively, this cell may be populated from a situation appraisal or action tracker sequence which 20 raised this decision analysis. Next, a DECISION STATEMENT entered in the decision statement cell decision statement should clarify the fundamental purpose of the decision, the intended result, and should set the scope of boundaries of the alternatives which will considered. An overly broad decision statement may purport 25 to provide a far reaching solution, but may also prove difficult to enumerate alternatives for, as described below, and may not provide informative value during future queries of the knowledge base.

Once the decision statement is entered, the user 30 advances to the DEVELOP OBJECTIVE screen (Fig. 21). DECISION STATEMENT cell 302 is echoed here, and additional cells for objectives 304 and notes 306 are provided. INSERT OBJECTIVE button 308 allows entry of additional 35 objectives. Using the DECISION STATEMENT 302 reference, the user enters descriptive text in

WO 00/02137 PCT/US99/15049 -24 -

OBJECTIVES cells 304 to indicate particular results to be achieved. Objectives, both short and long term and of varying priorities and constraints, are entered at this point to robustly populate the knowledge base. The criteria to measure the objective should be clear. Refinement occurs at a later screen. Notes concerning constraints, priority, or other aspects concerning this objective may be entered in NOTES cell 306.

5

30

35

After listing the objectives, the CLASSIFY OBJECTIVES 10 screen, shown in Fig. 22, is displayed. This screen echoes the DECISION STATEMENT 302, and lists each OBJECTIVE and NOTES cell 304, 306 for review by the user. objective, a CLASSIFICATION cell 310 is provided. The user scans the objectives, and for each listed objective enters a classification of MUST or WANT, or other descriptive 15 classification, in CLASSIFICATION cell 310 using pull-down menu 312. Objectives that are mandatory, measurable with a finite limit, and realistic should receive a classification value of MUST. Others that may be desirable should receive 20 a classification value of WANT. Not all CLASSIFICATION cells need be entered; a default value of WANT is then Additional objectives may also be added at this screen by clicking INSERT OBJECTIVES button 308. manner the objectives sought by the decision are ranked 25 into groups representing objectives such as uncompromisable and optional.

Next, the user advances to WEIGHT THE WANTS screen (Fig.23) to further classify the optional WANT objectives. Below the DECISION STATEMENT cell, each OBJECTIVE cell 304 is displayed adjacent a WEIGHT cell 314. NOTES cell 306, corresponding to each objective, is also displayed, and may be further modified with descriptive text. Each OBJECTIVES cell 304 is further subdivided into a descriptive portion 316 and a relative weight portion 318. The relative weight portion may be implemented as a slide bar 320. For each WANT objective, the user determines a relative priority

weight. The most compelling objective is assigned a value of ten on a zero to ten scale, however the upper limit could be varied to suit the granularity desired as can the scale itself. The user then considers each remaining objective and assigns a relative weight accordingly.

5

10

15

20

25

Following the WEIGHT THE WANTS screen, the user progresses to the generate alternatives screen shown in Fig. 24. This screen is for generating alternatives based on the previously entered objectives. MUST and WANT objectives are displayed in MUST OBJECTIVES cell 322 and WANT OBJECTIVES cell 324. Want objectives may be sorted by relative weight cell 318 value, or may remain in the order entered. The user scrolls through the MUST and WANT objectives to generate alternatives, and enters these alternatives in ALTERNATIVE cell 326. The user may scroll through the objectives in any order. However, considering the MUST objectives first ensures that mandatory items are reflected in the resulting alternatives Additionally, users may query the knowledge base for previously entered alternatives using query described further below. Additional alternatives may be entered by clicking INSERT ALTERNATIVES button 328. Objectives may also be added by clicking insert MUST OBJECTIVE button 330 and insert WANT OBJECTIVE button 332. Once all alternatives are entered, the user advances to the screen alternatives through the musts screen, shown in Fig. 25, to refine and narrow the entered alternatives.

On screen alternatives through the MUSTS screen (Fig. 25), the MUST OBJECTIVES 322 and the ALTERNATIVES 326 are displayed in a matrix form for review and selection. Scroll bars 336 and 334 can be used for horizontal scrolling through the alternatives and vertical scrolling through the must objectives, respectively. A FEASIBILITY cell 338 is therefore provided corresponding to each alternative and must objective. Descriptive text to describe how an alternative does or does not meet a must

WO 00/02137 PCT/US99/15049 -26-

objective is entered by the user in descriptive portion 340. Each FEASIBILITY cell 338 also has a GO/NO GO toggle button 342 to provide a discrete indication of whether an alternative satisfies a particular must objective. An alternative with even one "no go" attributed to it is deemed eliminated and is not carried forward. However, it will be retained in the knowledge base for later query and retrieval.

5

10

15

20

25

30

35

Following consideration of MUST objectives, COMPARE ALTERNATIVES AGAINST THE WANTS screen (Fig. 26) is This screen is provides a WANT ALTERNATIVE slider 344 to rank alternatives, such as on a 1-10 scale, rather than a discrete GO/NO GO toggle. Previously entered want weight 318 is also displayed for reference. For each want objective/alternative combination, a FEASIBILITY cell 340 is provided to describe the alternative with respect to the objective. Each WANT OBJECTIVE 304 is compared ALTERNATIVES 326. The alternative which best satisfies the want objective receives a score 346 value of ten, or highest, using slider 344. The other alternatives for that WANT OBJECTIVE 324 are scored relative to the alternative which received the score of ten.

Once the ALTERNATIVES 326 are scored, a weighted score for each objective 324 is computed and displayed. weighted score is the result of the weight value assigned the objective multiplied by the score value assigned to this alternative. The total weighted scores then indicate which alternatives best satisfy the objectives. provided is a total alternative score 348 for each alternative, which serves as an indicator of the alternatives having a greater overall impact. A tentative choice button 350 is clicked to indicate which alternatives selected by the user, which need not alternatives having the highest total alternative score 348.

Following the scoring of the alternatives, associated with each alternative selected for evaluation are considered the identify on adverse consequences screen (Fig. 27). The remaining alternatives are displayed in descending order by total alternative 5 score, one at a time in alternatives cell 326, along with the corresponding total alternative score cell 348. scroll through the alternatives carried over from the previous screen using alternative selection buttons 352. As each alternative is displayed, users identify a possible 10 adverse consequence 353 which could result from this alternative. The user enters descriptive text in "if" cell 354 to define the condition under which the adverse consequence could occur. Probability cell 356 is a pulldown of choices such as low, medium, and high, indicative 15 of the probability that the adverse consequence will occur. "Then" cell 358 is for descriptive text concerning the result of the adverse consequence occurring, seriousness cell 360 is a pull-down with the options low, medium, and high indicative of the magnitude of the result 20 should the adverse consequence occur. Notes cell 362 is for descriptive text concerning other information about the condition or result for further clarification or later Multiple consequences for an alternative may be 25 entered through INSERT adverse CONSEQUENCE button 364.

Fig. 28 shows the MAKE THE BEST BALANCED CHOICE screen. This screen is used to select one alternative as a decision by displaying cells for the ADVERSE CONSEQUENCES 353 carried over from the previous screen, the total alternative score cell 348, and the want OBJECTIVES cell 324, entered previously. Mandatory "MUST" objectives have already been considered by eliminating the alternatives which do not satisfy them. Accordingly, the adverse consequence cells 353, WANT OBJECTIVE cells 324, and ALTERNATIVES cells 326, may now be scrolled through to evaluate the elements of each available alternative 326.

30

35

Additional want objectives or adverse consequences may also be entered on this screen by clicking on INSERT WANT OBJECTIVE button 366 or INSERT ADVERSE CONSEQUENCE button 368, respectively. The chosen alternative is marked as a final decision by DECISION checkbox cell 370.

Following selection of final decision, the IMPLEMENT DECISION screen is displayed (Fig. 29). This screen displays the final decision 372 as chosen on the previous screen from the most appealing alternative 326, and further provides ACTION TRACKER cells for ACTION 376, WHO 378, WHEN 380, and NOTES 382. These cells provide input to the ACTION TRACKER, and are used similarly to the action tracker cells in the other screen sequences. Actions required to implement or complete the chosen decision are assigned to groups or individuals, scheduled, and tracked using the action tracker, described further below.

POTENTIAL PROBLEM ANALYSIS

5

10

15

20

25

Once a decision is made, the implementation of that decision may nonetheless encounter problems. The potential problem analysis screen sequence is used to enter and organize events and/or occurrences which may hinder the implementation of action plans. This screen sequence may be pursued following entry of ACTION TRACKER cells after a decision analysis or other process screen sequence, above, or may be undertaken alone with respect to an independent course of action.

Referring to Fig. 30, the DEVELOP A PLAN screen is shown. An action statement defining a specific and concise purpose of the action, task, or project is entered in ACTION STATEMENT cell 400. This statement may be carried over or modified from a decision analysis, or may be entered as free form text. A set of ACTION cells 402 is provided, which may be populated from an action tracker file or entered by the user. ACTION PLAN cell 404, NOTES cell 406, WHO cell 408, and WHEN cell 410 are used as in

other process screen sequences to enter actions or tasks, clarifying notes, responsible groups or individuals, and due dates, respectively, and are described with the action tracker description below. Additional ACTION cells may be entered by clicking on INSERT ACTION button 412.

5

10

15

20

25

30

35

List potential problems screen (Fig. 31) is then used to view each ACTION cell 403 individually, and enter potential problems which could be raised by the specific action in POTENTIAL PROBLEMS cell 416. The POTENTIAL PROBLEMS cell allows entry of a concise statement to respond to important areas of the corresponding action. This sequence therefore allows entry of specific, concise potential problems corresponding to a particular action for later analysis. Scroll buttons 414 are used to advance through the ACTION cells 402 to review each action.

After the user has entered the potential problems for the actions, the ASSESS THREATS screen (Fig. 32) is used to identify potential problems which require attention, and those which are unlikely to have a serious The potential problems list entered on the impact. previous screen therefore prioritizes the list to identify potential problems requiring attention first. STATEMENT cell 400 echoes the action statement. ACTION cell 403 lists the ACTION plan 404, NOTES 406, WHO 408, and when 410 cells individually, and may be scrolled using scroll buttons 414. For each ACTION cell 403, potential problems associated with that action are listed in POTENTIAL PROBLEM cells 416. For a potential problem, the user enters a PROBABILITY cell 418, and a SERIOUSNESS PRIORITY cell 422 is computed based on the cell 420. values of the seriousness and probability cells after potential problems have been assigned values. PROBABILITY cell 418 is a pull-down with comparative values such as low, medium, and high. For each potential problem the user evaluates the probability of occurrence and enters a value accordingly. Similarly, SERIOUSNESS cell 420 is a low,

medium, high pull-down which is set according to the magnitude of the result should the potential problem occur. In this manner, the user can identify potential problems which represent an acceptable amount of risk, and those that need to be accounted for. INSERT PROBLEM button 424 can be used to add additional potential problems.

5

10

15

20

25

30

The CONSIDER LIKELY CAUSES screen (Fig. 33) is next used to enter likely causes of each of the potential Each potential problem is displayed in POTENTIAL PROBLEM cell 426, along with the corresponding PRIORITY In this manner, the user can elect to only address potential problems having a certain priority, high or medium, for example, and deem the others to represent an acceptable risk. For each potential problem chosen to be addressed, a LIKELY CAUSE cell 428 is provided for entering a concise statement of the actions, occurrences, or other events which might result in the potential problem. Multiple likely causes may be entered for each potential A CAUSE PROBABILITY cell 430 is also provided to describe the probability of the cause occurring. PROBABILITY pull-down 432 is used to enter a comparative discrete low, medium, or high value, while PROBABILITY notes portion 434 is used for descriptive text describing the probability. Additional likely causes attributed to a potential problem may be added through INSERT LIKELY CAUSE button 436.

The TAKING PREVENTIVE ACTION screen shown in Fig.34 is then used to enter one or more PREVENTIVE ACTION cells 438 corresponding to a particular likely cause. A preventative action to serve as a barrier against the likely cause is entered in this cell 438. CAUSE PROBABILITY cell 430 from the previous screen may be used to assess more serious likely causes first, or to accept the risk of a low probability likely cause.

Despite robust preventative actions, it is may be that the chance of a likely cause occurring cannot be reduced to

WO 00/02137 PCT/US99/15049 -31-

TAKING CONTINGENT ACTION screen (Fig. 35) is used to enter actions which can minimize the effect if a particular potential problem nonetheless occurs. CONTINGENT ACTION cells 439 are used to enter such actions. actions are only necessary if the potential problem occurs, TRIGGER cell 440 is used to specify the system, person, or event to invoke the particular contingent action. information in TRIGGER cell 440 therefore contains information identifying the event that triggers commences the contingent action to provide a rapid response to a particular potential problem. Additional CONTINGENT ACTION cells 439 and TRIGGER cells 440 may be added through the respective buttons 442, 444.

MODIFY PLAN screen (Fig. 36) is then used to review the action cells along with the preventative and contingent actions entered in this screen sequence. Upon finalization of the action plan, update ACTION TRACKER button 446 is used to store the information in the knowledge base where it is available to other process screen sequences as described further below with respect to the action tracker.

POTENTIAL OPPORTUNITY ANALYSIS

5

10

15

20

25

30

35

Once a decision is made, the implementation of that decision may provide additional opportunities. The potential opportunity analysis screen sequence is used to enter and organize events and/or occurrences which may offer opportunities in the implementation of action plans. This screen sequence may be pursued following entry of ACTION TRACKER cells following a decision analysis or other process screen sequence, above, or may be undertaken alone with respect to an independent course of action.

Referring to Fig. 49, the DEVELOP A PLAN screen is shown. An action statement defining a specific and concise purpose of the action, task, or project is entered in ACTION STATEMENT cell 900. This statement may be carried over or modified from a decision analysis, or may be

WO 00/02137 PCT/US99/15049 -32-

entered as free form text. A set of ACTION cells 902 is provided, which may be populated from an action tracker file or entered by the user. ACTION PLAN cell 904, NOTES cell 906, WHO cell 908, and WHEN cell 910 are used as in other process screen sequences to enter actions or tasks, clarifying notes, responsible groups or individuals, and due dates, respectively, and are described with the action tracker description below. Additional ACTION cells may be entered by clicking on INSERT ACTION button 912.

5

25

30

35

List potential opportunities screen (Fig. 50) is then 10 used to view each ACTION cell 903 individually, and enter potential opportunities which could be raised by the specific action in POTENTIAL OPPORTUNITIES cell 916. POTENTIAL OPPORTUNITIES cell allows entry of a concise 15 statement to respond to important areas of This sequence therefore allows entry corresponding action. of specific, concise potential opportunities corresponding to a particular action for later analysis. Scroll buttons 914 are used to advance through the ACTION cells 902 to 20 review each action.

After the user has entered the potential opportunities for the actions, the ASSESS BENEFITS screen (Fig. 51) is used to identify potential opportunities which offer the greatest benefit, and those which are unlikely to have an opportunistic impact. The potential opportunities list entered on the previous screen therefore prioritizes the list to identify potential opportunities requiring attention first. ACTION STATEMENT cell 900 echoes the action statement. ACTION cell 903 lists the ACTION plan 904, NOTES 906, WHO 908, and when 910 cells individually, and may be scrolled using scroll buttons 914. For each ACTION cell 903, the potential opportunities associated with that action are listed in POTENTIAL OPPORTUNITY cells For each potential opportunity, the user enters a PROBABILITY cell 918, and a SERIOUSNESS cell 920. cell 922 is computed based on the values of the benefit and

probability cells after potential opportunities have been PROBABILITY cell 918 is a pull-down with assigned values. comparative values such as low, medium, and high. potential problem the user evaluates the probability of occurrence and enters a value accordingly. Similarly, BENEFIT cell 920 is a low, medium, high pull-down which is set according to the magnitude of the result should the potential opportunity occur. In this manner, the user can identify potential opportunities which represent acceptable amount of benefit, and those that need to be INSERT OPPORTUNITY button 924 can be used to add additional potential opportunities.

5

10

15

20

25

30

The CONSIDER LIKELY CAUSES screen (Fig. 52) is next used to enter likely causes of each of the potential opportunities. Each potential opportunity is displayed in POTENTIAL OPPORTUNITY cell 926, along with the corresponding PRIORITY cell 922. In this manner, the user can elect to only address potential opportunities having a certain priority, high or medium, for example, and deem the others to represent a lower priority benefit. For each potential opportunity chosen to be addressed, CAUSE cell 928 is provided for entering a concise statement of the actions, occurrences, or other events which might result in the potential opportunity. Multiple likely causes may be entered for each potential problem A CAUSE PROBABILITY cell 930 is also provided opportunity. to describe the probability of the cause occurring. PROBABILITY pull-down 932 is used to enter a discrete comparative value such as low, medium, or high, PROBABILITY notes portion 934 is used for descriptive text describing the probability. Additional likely causes attributed to a potential problem may be added through INSERT LIKELY CAUSE button 936.

The TAKING PROMOTING ACTION screen shown in Fig. 53 is then used to enter one or more PROMOTING ACTION cells 938 corresponding to a particular likely cause. A promoting

WO 00/02137 PCT/US99/15049

action to serve as a barrier against the likely cause is entered in this cell 938. CAUSE PROBABILITY cell 930 from the previous screen may be used to assess higher benefit likely causes first, or to no longer consider a low probability likely cause.

5

10

15

20

25

30

Despite robust promoting actions, it is unlikely that the chance of a likely cause occurring can be increased to TAKING CAPITALIZING ACTION screen (Fig. be a certainty. 54) is used to enter actions which can maximize the effect if a particular potential opportunity occurs, whether caused by the promoting action or not. CAPITALIZING ACTION cells 939 are used to enter such actions. actions are only necessary if the potential opportunity occurs, TRIGGER cell 940 is used to specify the system, person, or event to invoke the particular capitalizing The information in TRIGGER cell 940 therefore action. provides an enumeration to provide a rapid response to a particular potential opportunity. Additional CAPITALIZING ACTION cells 939 and TRIGGER cells 940 may be added through the respective buttons 942, 944.

When the capitalizing actions and triggers have been identified, it is often necessary to take preparatory actions that set the capitalizing actions and/or triggers in place before the potential opportunity might occur, and to remove the capitalizing actions and triggers after the potential opportunity could no longer occur.

MODIFY PLAN screen (Fig. 55) is then used to review the action cells along with the promoting and capitalizing actions entered in this screen sequence. Upon finalization of the action plan, update ACTION TRACKER button 946 is used to store the information in the knowledge base where it is available to other process screen sequences as described further below with respect to the action tracker.

ACTION TRACKER

5

10

15

20

The action tracker interface is used to identify and compare tasks, responsible individuals or groups, due dates, and other logistical information associated with the various process screen sequence defined The action tracker can be updated directly, or through action tracker data entered during the process screen sequences. Referring to Fig. 37, the ACTION TRACKER master screen is shown. This screen is similar to the ACTION TRACKER entry screen in the other process screen ACTION FILE cell 500 is used to select a sequences. previously entered action file for review and/or update. Action files on users systems across the network are listed here for various action files resulting from the process sequences described above. screen In this manner, enterprisewide monitoring of the various process screen sequences being undertaken is provided. REFRESH button 503 can be used to update the action tracker master screen with any new information entered by a user concerning a process screen sequence.

CONCERN cells 502 in the ACTION FILE 504, that can also be implemented in the other processes, concerns stored in the ACTION FILE 504 selected. concern is evaluated by criteria such as: urgency, growth, and seriousness, and is specified along a scale through a 25 pull-down menu. A fourth cell, PRIORITY, is computed based on the values of the other three. SERIOUSNESS cell 506 is for entering a discrete ranking of magnitude relative to the seriousness of other concerns, and has a value of High (H), medium (M), low (L), and need more data (NMD). 30 URGENCY cell 508 is rated based on a determination of when resolution of this concern would become difficult. expensive, or impossible, and has a value of low, medium, or high. GROWTH cell 510 is for indicating the potential that the seriousness of the concern will grow. 35 cell 512 is for specifying which of the process screen

WO 00/02137 PCT/US99/15049

sequences applies to this concern: situation appraisal, problem analysis, decision analysis, or potential problem analysis. CONCERN SORT pull-down 514 allows the CONCERNS 502 from the action file to be sorted by various fields such as concern, process, or priority. VIEW BY pull-down 527 allows a user to view all concerns in the action file, or only those specific to a certain individual, such as all concerns to which the user is attributed an action.

Clicking on a CONCERN cell 502 displays all actions currently entered for that concern in the ACTION cells 516, 10 for review and/or modification. Additional actions may be added to those uploaded from the action file. WHO cell 518 specifies the group or individuals responsible executing the task specified in the action cell, and may be modified through a pull-down list of names and groups. 15 Multiple names may be entered, and new names not in the pull-down may be added. WHEN cell 520 indicates the expected completion date of the action. STATUS cell 524 a discrete indication of milestones provides concerning the action, such as not started, in progress, 20 late, action assigned, cancelled, on hold, cause confirmed. Additional status milestones may be added. NOTES cell 522 contains descriptive text concerning other information. ACTION SORT pull-down 526 allows the listed actions to be sorted by various fields such as ACTION, WHO, WHEN, NOTES, 25 STATUS. Actions may automatically be electronically to others, including to recipients who are not users of the system. Alternative screen formats for the various GUI screens disclosed herein are listed in 30 Figs. 56-137.

KNOWLEDGE BASE STRUCTURE

5

35

An entity-relationship (ER) diagram of the knowledge base accumulated through the various process screen sequences as defined herein is shown in Figs. 38-42. In addition, the knowledge base links process applications and

5

tracks changes made on a user-by-user basis.

Situation appraisal ER diagram is shown in Fig. 38, and contains cells for storing the information entered in the cells during the situation appraisal process screen sequence. CONCERN 600, PRIORITY 602, and the PROCESS 604 to be used for further analysis are stored in refined CONCERN entity 606. ACTION TRACKER cells WHO 608, ACTION 610, and WHEN 612 are stored in INVOLVEMENT entity 614.

Fig. 39 shows the problem analysis ER diagram, and contains cells pertinent to the problem analysis process 10 screen sequence. SHOULD BE HAPPENING 616. HAPPENING 618, OBJECT 620, and DEVIATION 622 are stored in PROBLEM entity 624. IS/IS not cells are stored in RESPONSE DISTINCTIONS 628 are stored in DISTINCTIONS entity 626. CHANGES 632 are stored in CHANGES entity 634. 15 entity 630. POSSIBLE CAUSES 636 are stored in PROBABLE CAUSES entity CONDITIONS AND ASSUMPTIONS 640 are stored in TEST RESPONSES entity 642. CONFIRMED TRUE CAUSE 644 is stored in BEYOND FIX 646. ACTION TRACKER cells are stored in CAUSE ACTIONS entity 648. 20

Fig. 40 shows the decision analysis ER diagram. BACKGROUND 650 and STATEMENT 652 are stored in DECISION ENTITY 654. SCORES 656 for the various alternatives are stored in ALTERN 658.

Potential problem analysis ER diagram is shown in Fig. 25 41. PROBLEM POTENTIAL 660, SERIOUSNESS 664, PROBABILITY 662 are stored in SPECIFICATION entity 666. LIKELY CAUSES 668 are stored in CAUSE entity PREVENTATIVE ACTIONS 672 are stored in PREVENT ACTION 30 entity 674. CONTINGENT ACTIONS 676 are stored CONTINGENCY ACTION 678 entity, and corresponding TRIGGERS 680 are stored in TRIGGER entity 682.

Potential opportunity analysis ER diagram is shown in Fig. 41a, and is similar in structure to the potential problem analysis ER diagram shown in Fig. 41. Potential opportunity 660a, benefit 664a, and probability 662a are

stored in SPECIFICATION entity 666a. Likely causes 668a are stored in CAUSE entity 670a. PROMOTING ACTIONS 672a are stored in PROMOTE ACTION entity 674a. Capitalizing actions 676a are stored in CAPITALIZING ACTION 678a entity, and corresponding triggers 680a are stored in TRIGGER entity 682a.

5

10

15

20

25

30

35

Fig. 42 shows the action tracker ER diagram. CONCERNS 684, SERIOUSNESS 686, URGENCY, 688, GROWTH 690, and PRIORITY 692 are stored in CONCERNS entity 694. ACTIONS 696, WHO 698, WHEN 700, NOTES 704, and STATUS 702 are stored in ITEMS entity 706.

The knowledge base as described above is populated with cells entered in the corresponding process screen This knowledge base may be queried during sequences. current process screen sequences to draw upon knowledge obtained from prior process screen sequences. Such gueries and reports are through a standard SQL interface, and may be broad report-based statistical information, or specific keyword queries to pinpoint a specific process screen Such keyword queries are facilitated by the use of a master keyword table. Prior to saving any of the process screen sequences as defined herein, process records are parsed for occurrences of new keywords. New keywords not previously entered are displayed to the user, who is prompted to enter, categorize, and create associations for the keywords in the master keyword table.

These queries and reports may be predetermined, to address periodic status items such as displaying all unresolved problem analysis, or to list all decisions concerning a particular product line, or may be individual point-and-click queries using the individual knowledge base fields. An integrated database engine such as ORACLE® provides initial support for the knowledge base, however other database engines using SQL or other query language could be employed in alternative implementations or to customize an application to a particular user.

5

10

15

20

30

CLASS HIERARCHY

The class inheritance graphs of the complex situation assessment application as defined herein are shown in Figs. 43-48. Where applicable, connection links (A)-(N) are shown with the respective circled capital letters to indicate multiple sheet graphs.

The general process screen sequence class inheritance graph 800 is shown in Fig. 43. This graph defines the general process class common to the process sequences defined above. Situation appraisal inheritance graph is shown on Figs. 44a-44c. Situation class 802 is derived from the general process class, and manipulates situation background and general information. Concerns are manipulated by initial CONCERNS class 804 and REFINED CONCERNS class 806. Analysis needed is manipulated by SPECIFICATION class 808.

Referring to Figs. 45a-45d, the problem analysis inheritance graph is shown. PROBLEM ANALYSIS analysis class 810 is derived from the general PROCESS class 800 (Fig. 43). INITIATING DATA class 812 manipulates the problem object and the problem deviation. Test against SPECIFICATION class 814 manipulates is/is not information. POSSIBLE CAUSE class 816 manipulates possible causes.

25 Changes and distinctions are handled by DISTINCTION/CHANGES pairs class 818.

Decision analysis process screen sequence class inheritance graph is shown in Fig. 46. DECISION ANALYSIS class 824 is derived from the general process class (800, Fig. 43). Objectives are manipulated by DECISION ANALYSIS OBJECTIVES class 818. Alternatives are handled by DECISION ANALYSIS ALTERNATIVES class 820. Adverse consequences are manipulated by DECISION ALTERNATIVES RISK class 822.

Fig. 47 shows the class inheritance graph for the potential problem analysis screen sequence. POTENTIAL PROBLEM ANALYSIS class 826 is derived from the general

WO 00/02137 PCT/US99/15049

PROCESS class 800, and also handles the action statement. Action description, probability, and seriousness are handled by POTENTIAL PROBLEM ANALYSIS SPECIFICATION class 828. Likely causes and preventative actions are handled by the LIKELY CAUSES AND PREVENTATIVE ACTION classes 830 and 832, respectively. Contingent actions and the associated triggers are handled by CONTINGENCY ACTION and ACTION TRIGGER classes 834 and 836, respectively.

5

10

30

Fig. 47a shows the class inheritance graph for the potential opportunity analysis screen sequence. POTENTIAL OPPORTUNITY ANALYSIS class 826a is derived from the general PROCESS class 800a, and also handles the action statement. Action description, probability, and benefit are handled by POTENTIAL OPPORTUNITY ANALYSIS SPECIFICATION class 828a.

Likely causes and promoting actions are handled by the LIKELY CAUSES AND PROMOTING ACTION classes 830a and 832a, respectively. Capitalizing actions and the associated triggers are handled by CAPITALIZING ACTION and ACTION TRIGGER classes 834a and 836a, respectively.

Action tracker inheritance graph is shown on Fig. 48.

ACTION TRACKER CONCERNS class 838 manipulates concerns and the related ranking cells of seriousness, urgency, growth, and priority as defined above. Action descriptions and associated logistic scheduling data is manipulated by ACTION TRACKER ITEMS class 840.

As various extensions and modifications to the present invention, including alternate embodiments of screen layout, sequence, and input methods may be apparent to those skilled in the art, the present invention is not intended to be limited except by the following claims.

5

10

CLAIMS

1. A method of gathering, processing, storing, and displaying information concerning a complex business situation comprising the steps of:

providing a graphical user interface for entering data concerning said complex business situation;

refining said data in a predetermined, stepwise manner through user interaction with said graphical user interface;

generating, through said stepwise manner and said graphical user interface, a list of effective actions for addressing said complex business situation; and

storing said data in an indexed and normalized form

15 in a knowledge base adapted for structured query and
retrieval in performing said steps of refining and
generating.

computer program product comprising 2. Α readable program code fixed on a computer readable medium 20 operable to receive, process, store, and information concerning a complex business situation comprising:

computer readable program code for providing a graphical user interface for entering data concerning said complex business situation;

computer readable program code for refining said data in a predetermined, stepwise manner through user interaction with said graphical user interface;

computer readable program code for generating a list of effective actions for addressing said complex business situation through use of said computer readable program code for refining said data; and

computer readable program code for storing said data in an indexed and normalized form in a knowledge base adapted for structured query and retrieval by said

computer readable program code for refining said data and said computer readable program code for generating said list.

- 5 3. An apparatus for gathering, processing, storing, and displaying information concerning a complex business situation comprising:
 - a graphical display device operable to provide a graphical user interface for entering data concerning said complex business situation;
 - a digital input device for entering said data;

10

- a first memory for storing said data for indexed retrieval;
- a processor for refining said data stored in said 15 first memory in a predetermined, stepwise manner through user interaction with said graphical user interface and said digital input device;
- a second memory having a set of instructions operable by said processor to generate, through said stepwise 20 manner and said graphical user interface, a list of effective actions for addressing said complex business situation; and
- a third memory operable to store said entered data and said refined data in an indexed and normalized form in 25 a knowledge base adapted for structured query and retrieval.





Fig. 1






Fig. 3




Fig. 4





Fig. 6



F:9.7









Fig. 8


























Fig. 18




Fig. 19









Fig. 20


































Fig. 31



















Fig. 37






























F.9. 44 C










36/127





L






























	ELECTRONIC TOOL"		×
`	ication View Support		P
	State Possible Causes Problem:	Y PROBLEM ANALYSIS	
	State the Problem	DECISION ANALYSIS	
	Specify the Problem	POTENTIAL PROBLEH ANALYSIS	4
	Id ntity Possible Causes Use Distinctions and Changes	POTENTIAL OPPORTUNITY ANALYSIS ACTION TRACKER	20
	Evaluate Possible Causes T st Possible Causes Against Specification Determine the Mest Probable Gause		
	Confirm True Cause Gather Facts to Verify the True Cause Think Beyond the Fix		
	Notepad Support 123 Go to Interview Mode	w Mode Previous Screen Next Screen	en b
	F1g. 56		


			duct	I prioritize spetific concerns:	<u> </u>				Screen Freylous Screen	Fig. 57
The second secon	K erninkussa	El seu madre manie	You've chosen to cond	Identify and priority Understand the ac	Before you begin the app	.0.32			Notebad	













		Separated and Clarified Concerns		Insert New Clarified Concern	Previous Screen Previous Scr
Thinks of the second se	3 Revenivoursepalatelanticonomical	Concerns		Insert New Condern	Notebad 300

	clarified your concerns. In the next section, you'll set priority for resolving your concerns. Is econcerns need togethes alked clear?	Ke to Serum and the series of	C No I need to determine the <u>Cultentilingact Butture</u> Impact; and Time Erlame of eachtonicem before. I can determine the priority of the contract of the cont		Previousis6reen	Fig. 64
Thurst of the state of the stat	You've identified and clarified you the order in which the conceins	G Yes, and Would like to:	C No. Ineed to determine Impact, and Tinle Frame determine the photosystem.		Notebade	



ě	XI		ŧ. 1					1000 XXXX		US SECTION OF THE SE		BH ST	%			1	
	0				\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			₽	Þ				% (% <u>124</u>	'		Previous Screen M Next Screen	
***************************************	数															Sgre	
							Priority	Ę	High	를	돌 원	Figh	High Fig.			X	
		·.					<u> </u>		-		-	-				Ż	
				3												. W	
	7															uea a	
																Sci	
		·				装置										ons	
				Š												<u>@</u>	
***************************************				沙 迪	2.14											: The	
				SE SU									1				
				SU												•	99
								· .									F18. 66
				L.													F
														1			
	Ž.																
					Ĩ.												
									l								
				i i	16.			1		ł							
	型						-	١						.	- .	34.	
				- <u>35</u>													
7			-147									-	===			5.7	
		-		C			-			`			<u> </u>			- 0	- · -·-
	3					7.5]	999		Notebac	
	**			C			i i		ł				1			2	
	*		, and	70									ļ	JAMEN			
	eThink"				00.5	第 7月	5	1						D.C.R.			
	F			5	ਰ		Concerns										
				~		•	•	L		J	I	<u> </u>	<u>.l</u>				
				L	<u></u>												

	図		feat of			· }	E W		<i>7437</i> 33		7.) 3.3	····E			
											[3]	E		Creen	
	Ash Co.					Priority	High	i. Fg	High	Hig.	H.g.	High		ext S	
	WHICH CANDON CONTRACTOR			Ę		-								NeX NeX	
	200			la l										, we were	
4 4 44														Previdus Screen	
	d Arr	ŀ				ŀ								revior	
	J. P. C.														. 6
	AND SHEAT OF SHARE OF			2 C											F18.
:	2					ļ									
				S 17										(1) (1) (1) (1) (1)	
		:													
					1							_			
					19										
	W					-				7.0	-				
•	40.0						-							Cede	
	eThink!!!												i Since	Notebao	
	ılnk			O C		ş							1 2 4		3
	.i 1			20	. Z	 . Concerns					,				•
	3					J									



: 000	2			[]						E C		<u>. انت</u>	
						C3	e		D	C		Previous Screen	
	7.				prasail	prasail	prasail	prasail	prasail	prasail		Nex	
				Process	Situation Apprasail	Situation Apprasai		1					
				<u>a</u>	<u>अं</u>	rg.	3 8	NS.	Sik	Sit		s Scre	
												reviou	
													69
	4	and the second											Fig. 6
		75. (18. (19. (19. (19. (19. (19. (19. (19. (19											524
The state of the s													
				٠									
		rederice state (1/15)										7	
		BENEFE FROM										17.	
•		15 (E) (E) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A							_				.
							-		-	.			
	2			-			_ ··· <u>·</u>	-)ad	
	Thioks	der kensemen Nobrobesskille Probovenio									The Color	Noteba	
	in k		2	2							Instruction of		
	12			Concerns						<u>. </u>			
	3			' 					 	 			

	ov vou planto resolve the concern	Resolution				E		Contein MHRENDING CONTENNE (CONTENNE)	1	Previous Screen; Shext Screen	. 70
	माहिस्स		2		Ď	4					F18.
		Process	Situation Apprasail	Situation Apprasail	Situation Apprasail	Situation Apprasail					
	(1) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4		TT L ,	- 							
	200				:	-,50,7 					
W. ethink's was	2a Whalidoweumeen	Concerns					Helsan Nawrolehiele	2b Record that esblu		WANTER	




Fig. 7

Tawifaction in the Property Process Resolution Actions When I was the Balling	Pig. 72
---	---------


X	- 1		. 1	CT 255	***** *		***	** ****	E .	1		
回	<u> </u>							assensiele.	7,000,000		뜲	
			Role	<u> </u>]	Previous Screen 社参Nax Screen	•
157			₽ ₽								X	
3	# 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		를 <u>는</u>				 	├	 		Ž	
1			When Who								3	
1	9									(dio)	in in	
14											Scr	
22										Nen Mese	Sn	
13			Actions	ŀ							Si Si	
Committee of the contraction of			्री <u>२</u>	 			 	 	ļ		<u>o</u>	
				1							. !	
	2						1				· į	
8												73
			5								á	F1g.
3			Resolution					1				E.
			<u> 8</u>		<u></u>							
								100		}	-r- 1	
1888	1	17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Et l	1	I –	-		ļ —	_	i		
				Ì]		İ					
			A SHARES	Ì]		İ					
		(Josephale	8621853181853 <u>18</u> 5	Ì]		İ				S. S. Brillian	
	S. Dall Kamanaka	มี เลียนการเกลียนการเกลียนการเกลียนการเกลียนการเกลียนการเกลียนการเกลียนการเกลียนการเกลียนการเกลียนการเกลียนการ	energy (September 1997)	Ì]		İ					
	Reserve Very Samuel	ति १५५५ चित्रहासाम्बद्धाः विशेष	Process	Situation Apprasail	Situation Appressail	Situation Appræsail	Situation Apprasail	Situation Apprasail	Situation Apprasail			
MAIN SERVICE SERVICE		erik) UVing vervingaletsmik Hasilisi	Process	KI Situation Apprasail	Situation Appresail	Situation Appresail	Situation Apprasail	Situation Appraisail	Situation Apprasail		4年代新國際公司開發於	-
IN THE PERSON OF		Missing State of the Control of the	Piority Process	Situation Apprasail	High II Situation Apprasail	High, M Stuetion Appresail	Situation Apprasail	High Situation Apprasail			THE NAME OF PERSONS ASSESSED.	
	-7.4	And Principal State of Transport of Transpor	Process	KI Situation Apprasail	High II Stueton Appresail	High, M Stuetion Appresail	Situation Apprasail	Situation Appraisail	Situation Apprasail		ALL SERVICE BUSINESS	
A THE POST OF THE PARTY OF THE		(60) (50) (30) (30) (30) (40) (40) (40) (40) (40) (40) (40) (4	Piority Process	KI Situation Apprasail	High II Situation Apprasail	High, M Stuetion Appresail	Situation Apprasail	High Situation Apprasail	High M Stuation Apprasail		的别们,但你还是这个的	
		1 (100) 1 (100	Piority Process	KI Situation Apprasail	High II Stueton Appresail	High, M Stuetion Appresail	Situation Apprasail	High Situation Apprasail	High M Stuation Apprasail		Epage Million Committee of the Committee	
			Piority Process	KI Situation Apprasail	High II Stueton Appresail	High, M Stuetion Appresail	Situation Apprasail	High Situation Apprasail	High M Stuation Apprasail		Notebagishill	
HREWEN HILLINGS WAS THE		Ser service of the first servi	Piority Process	KI Situation Apprasail	High II Stueton Appresail	High, M Stuetion Appresail	Situation Apprasail	High Situation Apprasail	High M Stuation Apprasail		New Notice and the second seco	
THINK PROPERTY OF THE PROPERTY OF THE PARTY	-7.4		Photay Process	KI Situation Apprasail	High II Stueton Appresail	High, M Stuetion Appresail	Situation Apprasail	High Situation Apprasail	High M Stuation Apprasail		Mandiebad St. 1	
OTHIRK WAS THE WAR WAS THE		2 Herellswalderstand Saltying very upresent in	Photay Process	KI Situation Apprasail	High II Stueton Appresail	High, M Stuetion Appresail	Situation Apprasail	High Situation Apprasail	High M Stuation Apprasail		Na Note bad and the second sec	
KT othink Extending the Miles of the Control of the		2 Hereitstyfteldightolide Shylrgygyrupropressing	Piority Process	KI Situation Apprasail	High II Stueton Appresail	High, M Stuetion Appresail	Situation Apprasail	High Situation Apprasail	High M Stuation Apprasail		Mandfebadish	

CAN ELECTIO	M. TOOL SMO			×
Edit Cell Comm	unication View	Support Window		1900 Per 1900
Use Distinctions	is and Changes	Problem: Flight attendants		have red sweat
	sl	Is Not	Distinctions	Changes
What object?	Flight attendants	Pilots, Passengers, Ground Crew	Demonstrate safety	New life vests
		Gate Agents, Lead Flight Attendants		
	Both male and female	Only female Only male		
What Devlation?	Red sweat	Blisters, sores		
	Perspiration with red particles	Blood		
Where Geographically?	On our A300s	Other carriers using A300s Our DC-9s	Our A300 interior configuration	New counter tops (early March) New cleanser (mid March) new safety equipment (early January)
	Three 727s	Other Eastern 727s	different flotation devices	new life vests (early January)
	NY-Florida (A300) Our other A300 NY-Chicago (727) routes NY-Toronto (727) Our other 727	Our other A300 routes Our other 727	Flights over water	No known change
	Insert Is/Is Not Pair	Not Pair	Insert Distinction	Insert Change
ON I	Notepad T Support	? Go to interview Mode	~ ·	Previous Screen Next Screen V
		F1g. 74		

إسساؤ	LY ELECTRONIC TOOL"			×
	Edit Cell Communication View Support Window			
	Use Distinctions and Changes Problem:	olom: Flight attendants	s have red sweat	
	In the Use Distinctions and Changes step of Problem Analysis, you will gain insight into the data you developed in Specify the Problem. Here are the steps you will follow:	jes step of Problem Analysis, you will ga Here are the steps you will follow:	in insight into the data you	,
•	1 Look for all possible Distinctions between the "Is record those Distinctions in the appropriate cell.	ons between the "Is" and "I ne appropriate cell.	Look for all possible Distinctions between the "Is" and "Is Not" in your Object data, and record those Distinctions in the appropriate cell.	
	() 2 Repeat step 1 for every "Is/Is Not" pair in your specification.	Not" pair in your specificat	ion.	
	3 Reflect on your data, making sure it is complete and specific.	sure it is complete and spo	ocific.	
	2 4 Look for Changes that may be associated will record those Changes in the appropriate cell.	e associated with each Dis appropriate cell.	Look for Changes that may be associated with each Distinction about your Object, and record those Changes in the appropriate cell.	
	S Repeat step 4 for every Distinction that you have identified	ction that you have identifi	pg.	
	6 Reflect on your data, making sure it is complete and specific.	sure it is complete and spe	cific.	
	Notepad 💃 Support 🖽 Go to	Go to Worksheet Mode	Previous Screen Next Screen ▶	
	i.a.	F18. 75	•	


	TO		And the second of the second o	× 🖂 =
Use D	notions and Changes	Support Window Fight attendants	have red sweat	
— — — — — — — — — — — — — — — — — — —	Look at the "What Object?" Is/Is not pair below. What is distinct (different odd, special or unique) about. Flight attendants when compared to Pilots, Passengers	ir below. What is distinct (different npared to Pilots, Passengers	odd, special or unique)	
	Type an answer in the Distinctions cell below. If you find another Distinction, click the Insert Distinction button, then type the new Distinction in the new cell.	below. Insert Distinction button, then type	the new Distinction in ti	ne naw cell.
		l is Not	Distinctions	
What object?	Flight attendants	Plots, Passangers, Ground Crew, Gate Agents, Lead Flight Attendants	Demonstrate safety equipment	
			Insert New Distinction	ction
7	When you can think of no other Distinction for this "Is"/"Is Not" pair, click the Next Pair button to consider the next pair, then repeat step	think of no other Distinction for this "Is"/"Is Not" pair, Pair button to consider the next pair, then repeat step 1.	Pair Pravious Pair → 1 of 5 Next Pair →	Pair 1
	Notepad "" Support EE Go to Worksheet Mode		- Previous Screen N	Next Screen >
		F1g. 76		

Edit Cell Comm Use Distinctions	NIC TOOL" unication View Sup	pon Window	have red sweat	<u> </u>	× Þ
3 Here are all		the Distinctions you recorded. Review your data now and make any additions or corrections.	any additions or c	corrections.	
	Sį.	ls Not	Distinctions		
object?	Flight attendants	Pilots, Passengers, Ground Crew, Gate Agents, Lead Flight Attendants	Demonstrate safety equipment Touch lifevests Touch oxygen masks Handle sample belts	e safety ests en masks pie beits	4 III SAME AND SECTION
	Both male and female	Only female Only male	-	•	ileano y
What deviation?	Red sweat Perspiration with red particles	Blisters, sores			
Where geographically?	On our A300s	Other carriers using A300s Our DC-9s	Our A300 interior configuration	nterior	
		·	Insert New Distinction	Distinction	1
	Notapad ** Support	Go to Worksheet Mode	Previous Screen	Next Screen	•
,		F4g. 77		•	



				0L ~FA		
	Next Screen	4 Previous Screen		12 Go to interview Mode	Notepad * Support	2
	Assumption	Insert Reason or Assumption				
M >	utes use	only these ro	yes, because 🕶 only these routes use		NY-Florida (A300) Our other A300	
Water to	27s use (i) Inting	only those 727s use vests with printing	yes, because	Other Eastern 727s	Three 727s	
	os use Inting	only our A300s use vests with printing	yes, because	Other carriers using A300s Our DC-9s	On our A300s	Where Geographically?
22,000	se rash t sweat	allergies cause rash & blisters, not sweat	no, because ▼	Blood 🗓 r	Perspiration with red particles	
	se rash t sweat	allergies cause rash & blisters, not sweat	no, because	Blisters, sores	Red sweat	What Deviation?
	nen rgies	men and women can have allergies	yes, because 🕶 men and women can have allergie	Only female Only male	Both male and female	·
	vests	touching lifevests		Gate Agents, Lead Flight Attendants		
4 週	endants ones	the flight attendants are the only ones	only if	Pilots, Passengers, c Ground Crew,	Flight attendants	What object?
	sons	Assumptions or Reasons	Conditions	be Not	<u>s</u>	
		some attendants	accentants ergic reactions in so	test: Ink from the printed letters causing allergic reactions in some attendants		Select a cause to
				Support Window		Edit Cell Co
X					I ELECTRONIC TOOL"	【八道 ELECTI

Fig. 79




Support Window Fight attendants have red sweat ers causing allergic reactions in some attendants endants have red sweat But not: Plots Passengers Ground Crew Assumptions or Reasons the flight attendants are the only ones touching life vests Insert Assumption or Reason Insert Is/Is Not pair, click Next Pair. Pair Pravious Screen Next Sair Pravious Screen Next Sair Pravious Screen Next Sair Next Sair Pravious Screen Next Sair Pravious Screen Next Sair				Fig. 81			
Cell Communication View Support Window Possible Causes Against Spee. r Problem: Flight attendants have red sweat If Ink from the printed letters causing allergic reactions in some attendants have red sweat But not But not Plight attendants have red sweat But not But not Plight attendants have red sweat Possible Sengers Ground Crew Assumptions or Reasons the flight attendants are the only ones touching the vests If does, but only if you assume To test this cause against the next is/is Not pair, click Next Pair. To test this cause against the next is/is Not pair, click Next Pair. To test this cause against the next is/is Not pair, click Next Pair. Salect Cause Salect Cause Salect Cause Salect Cause Salect Cause Salect Cause Salect Cause Salect Cause Salect Cause Salect Cause Salect Cause Salect Cause Salect Cause Salect Cause	en v	1	. Previo	Worksheet Mode			 !
Possible Communication View Support Window Possible Causes Against Spec. r Problem: Flight attendants have red sweat Ink from the printed letters causing allergic reactions in some attendants Ink from the printed letters causing allergic reactions in some attendants Ink from the printed letters causing allergic reactions in some attendants But not: Pliots Passengers Ground Crew Assumptions or Reasons Inthe flight attendants are the only ones touching life vests Inthe flight attendants are the only ones Inthe flight attendants Inthe flight attendants are the only ones Inthe flight attendants	Select Cause	'es	re rejected this cau	pairs, or if you' srent cause.	tested all the Is/Is Not ect Cause to test a diff	į.	
Possible Causes Against Spec. r Problem: Flight attendants have red sweat If ink from the printed letters causing allergic reactions in some attendants is the frue cause of Flight attendants have red sweat Does it explain: Flight attendants Flight attendants Flight attendants Flight attendants Fright attendants Passengers Ground Crew Assumptions or Reasons the flight attendants are the only ones to uching life vests It does, but only if you assume It has tight attendants to be a sweat Flight attendants Fright	3	1 1	Pair 2 of	r, click Next Pair.	ext is/is Not pa	is cause against the n	
Possible Causes Against Spec. r Problem: Flight attendants have red sweat If Ink from the printed letters causing allergic reactions in some attendants is the frue cause of Flight attendants have red sweat Does it explain: Flight attendants Passengers Ground Crew Assumptions or Reasons the flight attendants are the only ones to uching life vests Itherefore the only ones to uching life vests Itherefore the only ones to uching life vests Flight attendants Assumptions or Reasons the flight attendants are the only ones to uching life vests		r Reason	ert Assumption o				
Possible Causes Against Spec. 7 Problem: Flight attendants have red sweat If Ink from the printed letters causing allergic reactions in some attendants is the frue cause of Flight attendants have red sweat Does it explain: Flight attendants But not: Plots Passengers Ground Crew		only ones	lants are the ts	he flight attenc couching life ves		loes, because bes not, because but only If you assur	i yesitd i no itdo
Possible Causes Against Spec. v Problem: Flight attendants have red sweat If Ink from the printed letters causing allergic reactions in some attendants is the frue cause of Flight attendants have red sweat Does it explain: Flight attendants But not: Plots Passengers Ground Crew				Ssumptions or Reasons	2		Conditions
Possible Causes Against Spec. r Problem: Flight attendants have red sweat if ink from the printed letters causing allergic reactions in some attendants is the frue cause of Flight attendants have red sweat But not in the printed letters causing allergic reactions in some attendants is the frue cause of Flight attendants have red sweat boss it explain: But not			rs rew	Passenger Ground C		S 1100 1100	rugir a
Cell Communication View Support Window Possible Causes Against Spec. r Problem: Flight attendants have red sweat If ink from the printed letters causing allergic reactions in some attendants is the frue cause of Flight attendants have red sweat				But not:		plain: tendante	Does it ex
Cell Communication View Support Window Possible Causes Against Spec. v Problem: Flight attendants have red sweat		lants	in some attend	lergic reactions red sweat	rs causing al ndants have	m the printed lette cause of Flight atte	3 If Ink fro Is the true
Cell Communication View Support Window		7e red sweat		lom: Flight atten	pec. v Prob	Causes Against 6	Test Possible
		TERONOR SERVICE		wopu mopu			Cell

lernatives s Weight	fy d	on: Select	Decision: Select a way to meet initial delivery requirements	y require	ments	Ę
	Ahernative: Modify driver			1		
	before January 1999	Weight To	Akernative: Modify driver weight Tobi Akemative: Reinstallold before January 1999 machine in new spot	Weight	Total	
	·	01	02	5	35	4 111 22
Minimize scheduling 5 conflicts		10	90	5	25	t mitta felle
Minimize production costs 10		10	100	€	80	本。340年代
	,					WANTE.
						10 m
	Tentative Choice	2	220 Tentative Choice		140	
			▲ 的现在分词 医神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经	A SAME OF THE PARTY.	4 条数	
T Notepad	" Support 123 Go to	Go to Interview Made	lode Previous Screen	Next Screen	creen t	
		Fig. 82	•			

[13] ELECTRO	C'IRONIC TOOL"							×
Edit Cell Action Files:	Communication View : Red Sweat PA	Support Wi	Window			Traile Walter voltes:		
Priority	Concern	0		Seilousness Urgency	Urgency	Grandh	Process	_
Medium	Confirm true cause			Low	High	Stable	٠ 4	10
Low	PA on dropping revenues	nues		Medium	Low	Increasing	PA	207
								₹
Sort By Priority Action	ority ·	Who	When	Notes		Status		.
Perform chemical on cleaning fluid	hemical analysis ig fluid	J. Schlick	11-18-98		Fluid product # 144		Cause Confirmed	4 🕮
Check painton al life vests.	nton all new	J. Schlick	12-15-98			Completed	eted	-
							•	₩ ▶
Sort By When		View My Actions Only				SendR	Sand/Receive Action	
•	Notepad 🛂 Support	ort						
			Fig. 83					


Took at the "What Object?" Issued below. What is distinct (different odd, special or unique) about Flight attendants when compared to Pilots, Passengers Type an answer in the Distinctions cell below. If you find another Distinction, click the insert Distinction button, Lead Flight Attendants Is not an ext and intent of this Type and another Distinction for this "Is?" Is Not pair, anouse-over.) When you can think of no other Distinction for this "Is?" Is Not pair, anouse-over.) When you can think of no other Distinction for this "Is?" Is Not pair, anouse-over.) When you can think of no other Distinction for this "Is?" Is Not pair, and insert New Distinction Insert	×					· · ·	
Support Window Problem: Riight attendants have red sv		le) In the new cell.			Istinction	ous Pair 🗻	Next Screen 4
support Window * Problem: Flig is not pair below. What is then compared to Pilots, lors cell below. Click the insert Distinction Is Not Pilots, Passeng Ground Crew, Lead Flight At Onsider the next pair, then consider the next pair the next pair then consider the next pair the	have red swe	1, special or uniquangers, Agents, Attendants	Sistinotions	Demonstrate sa equipment	Insert New D	1 1	revious Screen
Cell Communication View Support Distinctions and Changes * Look at the "What Object?" Is/Is not pair Is about Flight attendants when compary of the an answer in the Distinctions cell be If you find another Distinction, click the In Flight attendants (The full text and intent of this question is displayed within this mouse-over.) When you can think of no other Distinctic click the Next Pair button to consider the click the consideration consideration click the con	Window Problem: Flig	selow. What is distinct (different oddared to Pilots, Passelow. Sent Distinction button, Lead Flight				on for this "Is"/"Is Not" pair, 9 next pair, then repeat step 1.	
		Look at the "What Object?" is/is not pair about Flight attendants when comp Type an answer in the Distinctions cell b If you find another Distinction, click the ir		Flight attendants The full text and Intent of this uestion is displayed within this nouse-over.)		<u> </u>	

atia eThink"		
You've cho: Problem Ar	You've chosen to conduct a Problem Analysis, If you h Problem Analysis will help you find the cause.	You've chosen to conduct a Problem Analysis. If you have a problem, and you don't know what's causing it, Problem Analysis will help you find the cause.
Before you begin th	ubegin the analysis, record the problem background by completing these steps:	ground by completing these steps:
7	Describe how the <u>object with the problem</u>	sactually performing and how it should be performing.
7	Write a concise Problem Statement Indian problem is.	ent that explains what object has the problem and what the
. .	n that the cause of the big	Kriown
4	Describe how the problem was discovered	
55	Record the actions to minimize the problem and any attempts to solve	and any attempts to solve it.
9	Review the problem background	
	Notepad	Previous Screen Next Screen
		20 272



	ormation to answer the following questions.	erstimbes Unit probleme 'Entity describe Unit <u>obleo</u>		appenipgisanolivinatis sactualivinappeningvi Brietiv		olinero externor in recessory ediking externantso	A CHARLES OF THE CONTRACTOR OF
To ethink Wisconstant and the state of the s	d and Actual Inf	2a Whatepupmentisysteminablichinaruss (a thathasthespoolemen	Object:	2b Whats the difference between what should be describe the deviation the obligible sterile and the describe the deviation the obligible sterile and the describe the deviation the obligible sterile and the deviation the deviat	Deviation:	Your Problem Statement deschoesting allers that it gan be easily understood by a two lines	Problem Statement

Pig. 87



F18. 8





Fig. 89


	ebjern Similari Biran	Dete 🧱			函黎 图	ANOUSISCREEN IN MANAGED IN	
	l lighteil ein (is cointeil ailthe si Acta eichtons brave Witto eregin eichton	Person or group responsible		oras Provencia de estratorios de la como de		Riewouskoreen	. 90
	r lliste er tildok tihet metali bo enkyretken elottom i amonid ssatgjog et gæstom igt elponien	Pers		robblistent? Recolorbiany abilia			P1g.
的字句相似。然后也是	arcom kilakkarin elementek arcom berediget ili yonya ele elmberredetek	ueu .	III SELLINE WAS GUODINE				, 14 (2-4- 24 (2-4- 14 (2-4-4-)
K. strinklisker	5a vanakankoulubie uniliberaaliselean responsible or con	Actions to minimize the proble		5b what have you do	Actions to solve the problem	Notepad	





718. 91


					_			F				· ·
X				·	A PART OF THE PART		MARKET CONTRACTOR	er Fredrick	u cons			1
E		20					718 5					- 5
回												12
115			and the second s	<u>S</u>				in a	(Value in			Ø
												X
			ci									
			2	ja								
			3									D3(2)
			ပျ									Ö
藻			2									8
			3	3								\mathcal{Q}
羅			क्ष	2								8
			튐	S								\$
												<u>6</u>
			Ö					9				-
			ಭ					E				
25			S:					a u				
133			e as				1.2		20			N.
			<u> </u>							100		
			<u>D</u>				V.1		2010			***·
			2 2			05		10.0	e in t			1.
8			2-D									
			<u>છે ≷</u>		- 6		2.5					
					55.0	ज्ञामेट्राक्विडिक विद्याति						
						Un de Actarità	_. .	<u> </u>	. 0			
			N O			, P			7			
		鑁	E F		sitre <u>devlation</u> :	crabilities		in IEP deventans in entregeneration	(- <u>(</u>			
200			<u> </u>		C.	e E		Ŵ				
13.5			FE 2		edilective	22						
氢						V. O.	建 型。		<u>u</u>			
翻		歐	. e.t			0.0	0		0			
			<u> </u>			0.0		10	10			
			cause of the problem volid in the following these steps: describe what the problem is by following these steps:	- 5	HE B	: En	0.00	ξĘ.			 _ ,	
	1					A COM	HUZZOWA VIOL					
			SCI			经与						73
â		,	ဗမ	1			17 55					Ö
			흔들						1	3.00		Ö
13			是 是			TOP I			ATT A COLOR	5.40		Noteba
2	8		o fir									-
극			<u> </u>	<u> </u>		法では	CO.	4	N.			
		ļ	문희			7/37		A K 4 R R B G G G G		2011 P		1
eThink Walsh			in order to find the e Extent. First you'll o	Ÿ								•
544			= 111				क् रा गी । संस्थित					•
							*- 1.	•	•			

1g. 97











Is Not What deviation?

Pig. 9








	 	·			 · · · · · · · · · · · · · · · · · · ·	्राच्या स्टब्स्	
	Supplied of Gradinal Control	A STATE OF THE STA	B			ousiScreen Man Next Screen	
	olifor paritri i unital fallo il oliforio	A Mark Charles (1997) And Anna Charles (1997)	551 22		IDSEHENEWISHS-NOT RAIL	(Greyi	Fig. 100
	in the property of the propert		a				
Thinks and			Where geographically?			Notepad	


Where on the object?


F1g. 101
























		italis (esperyoti nestkatyoti datki regite specialiticis idovoti nepoliticis adal aniv	is Not						Insert New Isris Not Rair		
HALD HIT HAT RUS CONTRACTOR HAS THE	HE THE STATE OF TH	7 REVENE AND THE REPORT OF THE PROPERTY OF THE		When first?	When since?	What pattern?	when in the life cycle?		• • • •	Notepad	-


P1g. 111



			· ·	<u> </u>	
family many have a Resembling to tall and selected and present and the present of the family of the selection of the selectio	How many objects?	16. s'heinumber bir With Indiaessjot, decraastile, or sewide die samen selecitüre die turat leestdesse of	What is the trend in number of Increasing objects?	NEW Note pad After 1985 Scheen	F1g. 113

					<u> </u>	
KT OTHWEST TO SELECTION OF THE SELECTION	2ar/Whatacoolidathallorakinvindaliset of With Jas. british indo. Pactorolifichalindas soldakeen sees (nora of less Chilada) matericoolidabathalida (1918) indo soldatas with the deviation	How many objects?	26 Yoursaldithe normal sell browning in elifestation. Is, leased of citals information, the Evitorial selected remotes delia:	What is the trend in number of Increasing objects?	Notepad (1) Walvext Screen R. R. 114	

· .	 				
			अधिरायको सिही किडी विडिह्मा विडिशी कि		Rrevious Scheen Wanex Screen
	Recebblikes station manifestor statis		e de service de sexultation dans services de la constant		F18. 115
KT (STHIGHT WEEKS THE MAINTENANCE)	Sa Wrall Sine Skentashing	Mhal size?	Bulse alugio azisatis qe	What is the trend in the size? Indieasing	Notepad



	All Day (models). Extremely a septial time in bundle of trains of the contract	iny devietions?	s the number of deviators on early object increasing lock casing sor slaving mensioner segments and the number of	Is Increasing IT IT IT IT IT IT IT IT IT IT IT IT IT
Kr. entity is	Sasage Sas Sasage Sasage Sasage Sasage Sas Sasage Sas Sas Sas Sas Sas Sas Sas Sas Sas Sas	.a. E	5b is the number of one that best de	What is the trend in deviations?


Fig. 1


				· · · · _	عجر استبادت الم
	Sindore of less		insticis mot detail		Satteen I We'n extrisioneen in
	tasandulina kaulinidaan ofi slavitateini	is Not	oln tha system selected translational departments the second section of the second sec	is Not	Fig. 118
	official of conservin theris pictive		າສາ (ຮ) ເສັ້ນປະຊາດໂດການໄຮເຄົາທີ່ສານ ກ່ວງສະການຂອງໄດ້ເຂົ້າປະຊາດໃຊ້ເຄົາທີ່ສານ ກັນໄດ້ເຄົາທີ່	0	
X I	aksi cegellidilete etn itheti yaser	How many deviations?	Conversabilitation and the control of the control o	Vhet is the trend in Increas deviations?	Notedation


्राच्या । जिल्ला	E STATE OF THE STA			12-1/2005000	520052862	100 100 100 100 100 100 100 100 100 100	50230055000	**********				
		naseliini los sigliesini III.		61888				-			evrous Statebal	
	ALL MANAGEMENTS AND AND AND AND AND AND AND AND AND AND	(අමුව රුප්ව පුරුව ක්රම්ව වෙන	is Not	·	•					Insurvicios (Nebel all)	A TOWN BUSY	Fig. 119
		in Cesan your marker volutre etate lione 										
			<u>s</u>									
KT ((Sulfil)).		(C) Relation (Parelline) (C)		97	How many objects?	What is the frend in number of objects?	What size?	What is the frend in the size?	How many deviations?			


•			- 			<u>:</u>			: <u>:</u>		<u></u>		
					86088688	**************************************	· · · · · · · · · · · · · · · · · · ·	2000000					
÷		surestellyjderspribg vydgel yadulknovy elbakt. Ode jaroldendik Frstorresprydag delettingvi	Is Not	X								A SANDER WEST STATE OF THE WALL STATE OF THE SANDERS OF THE SANDER	F1g. 120
	KT (TELLINATE TO THE PROPERTY OF THE PROPERTY	Revewyely Paddendsbelledou fores listeri		What object?	what deviation?	Where geographically?	Where on the object?	When first?	When since?	What pattern?			*


	in the second			
SWith and whereit occurred and the extent Now You ill dentify to sale.	ming-vangemenasas pang <u>angaxisong sandrasasan</u> Aggaden (1) Avang den bis mese Olsitatiphas and Chialogas es uslag	Inviller The state of the stat	(Resylexxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	Fig. 121
Youve described what the problem causes of your problem by completing		Valvi kopvaladigi puringi pur Zatelje vojaladigi valjas strali groslje vojal Raterogravi vadrinje stranovini obsvenje strali (1901. graf		
















Fig. 12







Mad ()	Binimovi Arelithere elnov	Possible Causes	10		\$6-55-90-00-00-00-00-00-00-00-00-00-00-00-00-		PARK ODDING A DATE			losennikevrenskiplerosukseri	I RIEWOUSKE GREEN IN WANTER GREEN WA
	ीरनाम्, निवासं क्षेत्राहरूको । हिन्तु होती तिन्तु डीडरहानी पिटानामें स्वान्त्रीमा होत्राहरू	ls Not	田 國							MESSINGEN NEWS NEWS AND PREMISE	
	objestovani spravi od od od od od od od od od od od od od										
KT (S. III) IN THE	Paleview, Albu- obustes ineilia obustes ineilia	<u> </u>	What object?	What deviation?	Where geographically?	Where on the object?	When first?	When since?	What pettern?		

71g. 13

			disciplination of the foliation of the first of
	1.2.4 m 10.2.1		
Hywytegellelys Glassies aled	الخيون بالخواصة المرقمة المراقعة المراقعة الانتقاطة الانتقاطة الانتقاطة المراقعة المراقعة المراقعة المراقعة ال مجموعة علامة بالخواصة المراقعة المراقعة المراقعة المراقعة المراقعة المراقعة المراقعة المراقعة المراقعة المراقعة	elhejtion haveleratised iz Rasview evatyret ereas ikhlidkeli	រត់ទៀវាខ្សាចក្រឡាល់
Is what object?		is Not	Possible Causes
V/net deviation?			
Where geographically?			
Where on the object?			
When first?			
When since?			-
What pattern?			
	Moseration is a second of the	·	InsertNewPossible ogeser

Fig. 1






'ig. 135

	Vale Yngersaldte getes tide ty ekalenas in ersker in ybrur Paraddlegal speritäre diegnir skelenti fore land Valui filmk Hatermetsi größetidenk zulaturg phylolika		3	C	C	C		Wordshift have the west of the content of the conte
KT (F. J.) FILL	S. Waldhijdele Islanermetsu	Most Brokelie Cense	Ü	C	C	Ö		 INC. TARGET

ig. 136



	······································				
A. CLASSIFICATION OF SUBJECT MATTER IPC(6) : G06F 15/20, 15/22, 7/00, 17/60, 19/00, 17/30 US CL : 705/1, 7, 8, 10					
According to International Patent Classification (IPC) or to both national classification and IPC					
B. FIEI	LDS SEARCHED				
Minimum d	locumentation searched (classification system followed	ed by classification symbols)			
U.S. : 705/1, 7, 8, 10					
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched					
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)					
APS gathering, processing, storing, displaying, situations, problems, business, company, complex, complicated, hard					
C. DOCUMENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.		
Y	US 5,237,497 A (SITARSKI) 17 Aug col. 4, lines 19-54.	gust 1993, col. 3, lines 35-52	1-3		
Y	US 5,331,545 A (YAJIMA et al) 19 July 1994, figures 1-4.		1-3		
A,E	US 5,937,389 A (MAXWELL) 10 Au	gust 1999, col. 4, lines 10-67	1-3		
A	US 5,737,727 A (LEHMANN et al) (77 April 1998, col. 7-67	1-3		
A	US 5,675,745 A (OKU et al) 07 Octo	ber 1997, col. 4, lines 3-65	1-3		
A	US 5,521,814 A (TERAN et al) 28 March 1996, col. 4, lines 8-65.		1-3		
,					
X Further documents are listed in the continuation of Box C. See patent family annex.					
* Special categories of cited documents: *T* later document published after the international filing date or priority					
"A" document defining the general state of the art which is not considered to be of particular relevance date and not in conflict with the application but cited to understand the principle or theory underlying the invention					
	rlier document published on or after the international filing date	"X" document of particular relevance; the			
cit	cument which may throw doubts on priority claim(s) or which is ed to establish the publication date of another citation or other	considered novel or cannot be considered when the document is taken alone "Y" document of particular relevance; the			
special reason (as specified) "Y" document of particular relevance; the considered to involve an inventive combined with one or more other such means "O" document referring to an oral disclosure, use, exhibition or other combined with one or more other such being obvious to a person skilled in		step when the document is a documents, such combination			
'P' document published prior to the international filing date but later than '&' document member of the same pater the priority date claimed			family		
Date of the actual completion of the international search Date of mailing of the international search			rch report		
12 AUGUST 1999 20 OCT 1999					
Commissioner of Patents and Trademarks		Authorized officer	44		
Box PCT Washington, D.C. 20231 TODD VOELTGames			atthews		
Facsimile No. (703) 305-3230 Telephone No. (703) 305-220					



International application No.
PCT/US99/15049

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
\	US 5,321,605 A (CHAPMAN et al) 14 June 1994, col. 2, lines 49-68.	
	<u> </u>	